

Bootlace Ferrule Crimping Tools (Hand-held)



AP-04WFL

Description Ratchet energy saving crimping tool for bootlace ferrules (end sleeves)
Crimping Range 0.5mm² - 4mm²
Length 250mm



AP-26TW


Description Ratchet energy saving crimping tool for double bootlace ferrules (end sleeves)
Crimping Range 2 x 0.5mm² - 2 x 6mm²
Length 250mm

Copper Lug and Ferrule Crimping Tools (Hand-held)



L-6095Y0

Description Indent crimping tool for Copper lugs and ferrules
Crimping Range 10mm² - 120mm²
Length 570mm




HX-50B

Description Hexagonal tool with moveable and revolving dies
Crimping Range 6mm² - 50mm²
Length 390mm



HX-120B

Description Hexagonal tool with moveable and revolving dies
Crimping Range 10mm² - 120mm²
Length 650mm




HX-150B

Description Hexagonal tool with moveable and revolving dies
Crimping Range 25mm² - 150mm²
Length 980mm

Copper Lug and Ferrule Crimping Tools (Hand-held)

HEXA6-10

Description Ratchet indent crimping tool for Copper lugs and ferrules
Crimping Range 0.5mm² - 6mm²
Length 200mm



HEXB-16

Description Ratchet indent crimping tool for Copper lugs and ferrules
Crimping Range 1.5mm² - 16mm²
Length 330mm



HS-22

Description Ratchet indent crimping tool for Copper lugs and ferrules
Crimping Range 6mm² - 25mm²
Length 360mm



HX4

Description Ratchet hexagonal crimping tool for Copper lugs and ferrules
Crimping Range 1mm² - 4mm²
Length 270mm



HX10

Description Ratchet hexagonal crimping tool for Copper lugs and ferrules
Crimping Range 2mm² - 10mm²
Length 270mm



Copper Lug and Ferrule Crimping Tools (Hand-held)




HX16

Description	Ratchet hexagonal crimping tool for Copper lugs and ferrules
Crimping Range	6mm ² - 16mm ²
Length	270mm



HX25

Description	Ratchet hexagonal crimping tool for Copper lugs and ferrules
Crimping Range	6mm ² - 25mm ²
Length	355mm



YYT8

Description	Ratchet crimping tool for Copper lugs and ferrules
Crimping Range	1.5mm ² - 10mm ²
Length	262mm



AP-101

Description	Ratchet energy saving crimping tool for Copper lugs and ferrules
Crimping Range	0.5mm ² - 10mm ²
Length	250mm