

No. 4-28 Multi - Cable stripper with integrated stripping function for all standard flexible and solid cable



Stripping Range:	0.5mm ² - 6mm ²
AWG:	20-10
Length:	145mm
Weight:	0.061kg

Features:

- Completely ergonomic & fully insulated
- Progressive regulation and easy to operate adjusting wheel
- Precise, quick and safe stripping

No. 5 - Automatic wire stripper with lock function



Stripping Range:	0.2mm ² - 6mm ²
AWG:	24-10
Length:	170mm
Weight:	0.107kg

Features:

- Precise work with adjustable length stop (5 - 12 mm)
- Integrated, well accessible side cutter up to 2 mm Ø
- Automatic Wire Stripper

No. 6 - Fully insulated wire stripper



Stripping Range:	0.2mm ² - 6mm ²
AWG:	24-10
Length:	170mm
Weight:	0.107kg

Features:

- Precise work with adjustable length stop (5 - 12 mm)
- Saves space by locking the strippers
- Fully insulated, automatic Wire Stripper

No. 7 - All round wire stripper for flexible and solid cable



Stripping Range:	Flexible
	0.5mm ² - 16mm ²
AWG:	Solid:
	0.5mm ² - 10mm ²
Length:	170mm
Weight:	0.217kg

Features:

- Precise work with optical length scale
- Integrated, well accessible side cutter up to 3 mm Ø
- For many different cable types in building installation

No. 7F - Wire stripper for standard flat cable



Stripping Range:	0.75mm ² - 4mm ²
AWG:	18-11
Length:	170mm
Weight:	0.220kg

Features:

- Precise work with adjustable length stop (up to 26mm) (5/16 - 1")
- Integrated, well accessible side cutter up to 3 mm Ø (1/8")
- Automatic Wire Stripper

No. 1F - Quick coaxial cable stripper



Stripping Range:	4.8mm ² - 7.5mm ²
Length:	125mm
Weight:	0.047kg

Features:

- Gripping jaws for screwing F-connectors on the cable
- Space-saving mounting or dismounting of F-connectors by integrated open hexagon with 11 mm wrench size (SW 11)
- Stripping without adjusting the blades with length stop for all common F-connectors (6/4 mm)

No. 2 - Ergonomically designed coaxial cable stripper



Stripping Range:	4.8mm ² - 7.5mm ²
Length:	110mm
Weight:	0.028kg

Features:

- There is no need to adjust the cutting depth
- Also suitable for flexible cables
- Two-level stripping of all common coaxial cables

No. 3 - Multi level stripper for coaxial cable



Stripping Range:	4.8mm ² - 7.5mm ²
Length:	125mm
Weight:	0.055kg

Features:

- Also suitable for flexible cables
- Integrated and well accessible side cutter up to 8 mm Ø
- Allows two- or three-level stripping of all common coaxial cables

No. 13 - Round cable stripper



Stripping Range:	8mm ² - 13mm ²
Length:	120mm
Weight:	0.044kg

Features:

- Flush stripping even in hard-to-reach areas
- It is not necessary to adjust the cutting depth
- For all standard round cables

No. 10 - Data cable stripper (Cat5, Cat6, Cat7)



Stripping Range:	4.5mm ² - 10mm ²
Length:	140mm
Weight:	0.048kg

Features:

- Integrated length stop, adjustable to the required sheath opening of network outlets and other plugs (3-10 cm)
- Safe work with the ergonomic anti-slip handle shape

No. 300 Due Crimper - Cable stripper and crimper



Stripping Range:	0.5mm ² - 6mm ²
Crimping Range:	0.5mm ² - 2.5mm ² 4.0mm ² - 6.0mm ²
AWG:	20-10
Length:	160mm
Weight:	0.116kg

Features:

- Two crimping ranges are offered (0.5 - 2.5 mm² and 4.0 - 6.0 mm²) according to DIN 46228-2
- Integrated, well accessible side cutter up to 6 mm²

No. 30 - Multi purpose data cable stripper




Stripping Range:	0.05mm ² - 0.5mm ²
AWG:	30-20
Length:	125mm
Weight:	0.060kg

Features:

- Stripping of conductors and stranded wires e.g. telephones lines
- Precise stripping with adjustable length stop (3.5 - 14 mm)
- Integrated, well accessible side cutter up to 8 mm Ø
- Removal of the outer insulation on data cables

NO. 3 Mini Solar - Quick stripper for all common solar cables



Stripping Range:	1.5mm ² - 6mm ²
AWG:	15-9
Length:	125mm
Weight:	0.058kg

Features:

- Quick stripping of all common solar cables
- Precise work with adjustable length stop (6 - 28 mm)
- Integrated, well accessible side cutter up to 4 mm² (15 AWG)

No. 7 Solar - Automatic wire stripper for all common solar cables



Stripping Range:	1.5mm ² - 6mm ²
AWG:	15-9
Length:	170mm
Weight:	0.218kg

Features:

- Precise work with adjustable length stop (up to 26mm)
- Integrated, well accessible side cutter up to 3 mm Ø
- Automatic Wire Stripper

No. 35 - Cable scissors for cutting, stripping and crimping cables



Stripping Range:	CU/AL: <35mm ² CU/AL: <50mm ²
Length:	150mm
Weight:	0.090kg

Features:

- 2-Component handles for increased safety
- Blades made of special stainless steel

Easy Opener - Ideal for loosening switches, luminaires or similar components



Length:	180mm
Weight:	0.022kg

Features:

- Ideal for loosening switches, luminaires or similar components
- Slim and filigree design – flexible and stable at the same time
- Three surfaces with different material thickness

Starter Set Pro - Ideal selection for house installation

Strippers Included:	No. S4-28 Multi, No. 2, No. 5, No. 13
Case Size:	255mm x 20mm x 60mm
Weight:	0.575kg

Features:

- The Professional Starter Set is the basic equipment for craftsmen in the fields of electrical, heating and customer service, and is also suitable for the home and hobby.



Multi Opener - Ideal tool to gently open sensitive equipment and dismantling clipped housing



Length:	180mm
Weight:	0.22kg

Features:

- No scratching of sensitive surfaces
- Conductive ESD material protects against electrostatic discharge
- Flexible fibreglass-reinforced polyamide

No. 400 - Multi level stripper



Stripping Range:	0.5mm ² - 6mm ²
Length:	155mm
Weight:	0.79kg

Features:

- Flush stripping, even in hard-to-reach areas
- Safe and space saving storage with closing clip
- Circular cutting - longitudinal cutting - stripping - cutting

