

POWERLOCK Short tapes



STHT33238-8	Tape Powerlock 3m x 13mm
STHT33194-8	Tape Powerlock 5m x 19mm
STHT33168-8	Tape Powerlock 8m x 25mm
33-448	Tape Powerlock 10m x 23mm

Features:

- Compact case easier to hold & Belt clip for ease of storage
 Tru zero end hook moves to compensate for accurate inside and outside measurements
- Mylar® coated 19mm blade is up to 10 times more resistant to abrasion
- Highly resistant chrome plated metal case
- Class II, Ribbon-blocking button

SHORT TAPES



STHT3027-8	Tape Basic short 3m x 13mm
STHT30279-8	Tape Basic short 5m x 19mm

Classic box-beam levels



STHT43102-8	Level Classic - Box 400mm
STHT43103-8	Level Classic - Box 600mm
STHT43104-8	Level Classic - Box 800mm
STHT43105-8	Level Classic - Box 1000mm

Features:

- Equipped with 2, 3 or 4 unbreakable vials depending on length
- Easy to clean epoxy finish for long life
- Solid block vials guaranteed against breakage and leakage for 5 years
- Ribbed tubular box section aluminium body for strength and rigidity
- Machined on bottom surface for maximum accuracy (up to 1200mm level)
- Supporting sides milled up to 1200mm and treated with epoxy for easy

TYLON short tapes




STHT30687-8	Tape Tylon 3m x 13mm
STHT30697-8	Tape Tylon 5m x 19mm
STHT30657-8	Tape Tylon 8m 25mm

Features:

- Tylon coated blade provides anti-glare reading
- Soft touch case
- Tru-Zero hook for accurate inside and outside measurements

Closed-case fibreglass blade long





Features:

- High-impact case for durability
- Reinforced fiberglass blade for accurate measurements
- High visibility case make it easy to detect on the job site

Foam-cast levels



1-42-474	Level Foamcast 300mm
1-42-475	Level Foamcast 450mm
1-42-476	Level Foamcast 600mm
1-42-471	Level Foamcast 1200mm

- I-beam profile
- Injection moulded ABS body, lightweight and shock resistant
- 3 high visibility tubular vials: level, plumb and 45°
- Convenient metric graduation on top face
- Accuracy ± 2 mm/m
- Robust and non-deformable



ABS magnetic **AMS** torpedo level



STHT42264-8

Torpedo level 228mm 3 vial

Features:

- 3 tubular vials: 1 level, 1 plumb and a 45° vial
- Lightweight injection moulded ABS body for strength
- 200mm, 3 vials
- Available in non magnetic and magnetic

ABS ABS torpedo level



0-42-294

Level Torpedo ABS 203mm 3 Vial

Features:

- High visibility from above because of top-reading vial
- High-impact ABS body to provide durability
- Tinted 360° vials make measurements easy on the eyes
- Tinted 360° vials to provide distinct readability
 Top-reading feature allows visibility from above

Line levels



42-287	Level Line 83mm Alum

Features:

- Aluminum construction is lightweight and durable with flat base for surface
- Special hang hooks grip line which enables level to slide freely for positioning
- 360 degree vial for easy readability.
- Hexagon shape

Chalk Lines



STHT47443-8	1	Chalk Line Reel Set ABS 30m
STHT47440-8	2	Chalk Line Reel ABS 30m
STHT47403-8	3	Chalk Line Refill 115g Blue
STHT47404-8	4	Chalk Line Refill 115g Red

Features:

- High impact ABS case for durability
- Sliding door for quick and easy refill
 Stainless steel end hook for added durability and rust prevention

Squares 501-A

E-46038	Square 501-A 200mm/8"-10
E-46039	Square 501-A 250mm/10"-10
E-46040	Square 501-A 300mm/12"-10

Features:

- Hard wearingHigh impact ABS for long life

Square prof steel



E-46530	Square prof steel 150mm/6"-6
E-46532	Square prof steel 200mm/8"-6
E-46534	Square prof steel 250mm/10"6
E-46536	Square prof steel 300mm/12"-6

Features:

· Anti corrosion coating

Square combination 300mm multiuse



2-46-017 Square combination 300mm multiuse

Features:

- Lightweight and durable metal body with 3 machined faces for accuracy
- Easy to read, long lasting engraved blade with 360° vial for all round visibility
- Scriber fitting for accuracy & convenience
- Can be used as a try and mitre square, depth or height gauge and spirit level
- Synthetic heel for light weight
- Integrated flask
- Graduation in mm



2-46-143

Square combiation 300mm H/D STL -3

Features:

- Metric / imperial graduations
- High visibility reading etched and coated blade rust resistant
- High quality brass nut and scriber fittings for long life
- 360° vial for all round visibility
- Can be used as a try and mitre square, depth or height gauge and spirit level Precision die cast body with 3 precision machined faces for accuracy

Square Builders/roofing



1-45-530

Square builders/roofing 600x400mm

Features:

- Face graduated every 2mm, reverse of blade every 1/8" th for detailed work
- Reverse reading scale and crisply embossed graduations for easy reading
- Steel square with buffed finish and protective lacquer coating for rust resistance



Laser Level

STHT1-77340	Cubix Cross-Line lasers
Levelling Type	Self
Accuracy	+/- 0.8mm@1m
Compensation Range	+/- 40
Working Ragne	8m
Battery Life	20 hrs
Battery Type	2 x AA (1.5V)
Beam Colour	Red
Number of Lines	2
Line Direction	Vertical & Horizontal
Laser Class	Class 1
Laser Diode	635mm
Manual Mode	Yes



- Quicklink™ bracket system supplied
- Integrated slots in housing for quick connection to accessory bracket
 Visual warning / indication for "out of level" when in "self leveling mode"
- Single laser diode split with lens
- Self leveling cross line laser
- Can also be flipped on his back for ceiling application use



10-189C - Spring-back retractable knife



Features:

- Blade storage inside the handle
- Contoured handle with diagonal ribs for slip-resistant grip
- Zinc alloy body, very strong but lightweight
 The blade remains extended as long as the thumb is kept on the push button.
- Blade retracts automatically when the button is released.
- Supplied with special round nose heavy duty blade for ultimate safety
- Safety knife with auto retracting blade
- Interlock nose locking system for greater safety during cutting
 Blade Extension 17 mm

10-810 - Quickslide pocket retractable utility knife



Features:

- One handed operation blade slider extends the blade easily and quickly
- Metal belt clip for convenient storage
- Push down and slide safety feature ensures the blade is not accidentally
- All metal construction solid, reliable and long lasting
- · Pocket size for convenience

STHT10266-8 - Professional TP snap-off blade

STHT10264-8 - Professional TP snap-off blade knife - 18mm



Features:

- Bi-material TPR handle with soft grip or full ABS version for durability
- Dial lock or auto slide lock for convenience and safety
- Ergonomic design of thumb pad & neck down create comfortable grip &
- Fits application needs from light to heavy duty and specially designed to improve cutting performance
- Removable blade snapper in the knife cap
 Storage of spare blades

0-10-088 - Light weight retractable knife



Features:

- No tools required to change the blade for quicker blade change
- Antishock resistant ABS body both lightweight and extremely strong
- Metal blade carrier carriage
- Fine adjustment allows 5 blade positions
- Rapid blade changingKnife with retractable blade

9-10-813 - Quickslide sport utility knife



Features:

- Zinc blade slider for durability and strength
- No tools needed to change utility blade quick and easy to replace blades
- Interlock mechanism allows only one blade to be extended at any one time - for safety

- Thumb slider for easy operation of utility blade
 Positive spine lock fixes blade when opened for safe operation
 Separate traditional utility blade ideal for professional heavy duty cutting
- 3" / 75mm serrated blade for garden, hobby, and outdoor use
- Comes with holster and blades for better value

2-10-199 - Classis 199 fixed balde utility knife



- Over lapping nose blade locking system for greater safety during cutting
- Strong zinc alloy body with a grooved surface for comfortable, assured grip
- Blade holder inside the handle for safe storage
- Knife supplied with 3 blades



0-10-480 - Dynagrip cartridge snap-off blade knife - 18mm



Features:

- Click action slider indicates when new blade auto feeds into position
- Storage for up to 6 blades

STHT10151-8 - Quick-point snap-off blade knife - 9mm

STHT10150-8 - Quick-point snap-off blade knife - 18mm



Features:

- Blade snapper included in handle for safety
- Multi-position push button for quick, easy use
- Two part moulded body that allows rapid blade changing.



KNIFE BLADES

STANLEY

Knife blades



11-931	Extra Heavy Duty Knife Blades - 5 Pack
11-931A	Extra Heavy Duty Knife Blades - 10 Pack
0-11-911	1992 Trimming Knife Blades - 5 Pack
1-11-916	1992 Trimming Knife Blades - 20 Pack
1-11-911	1992 Trimming Knife Blades - 100 Pack
11-921T	1992 Trimming Knife Blades - 10 Pack Heavy Duty

- Ideal for carpet, vinyl & any other material requiring a stiffer & stronger blade
- The original and best heavy duty, general purpose blade 0.65mm thick
 2 cutting positions for a variety of applications, 2 point reversible blade
 Hardened & tempered utility blade for high sharpness & long life

- Blades fit all standard Stanley knives

1992 Trimming knife blades

0-11-911	1992 Trimming Knife Blades - 5 Pack
1-11-916	1992 Trimming Knife Blades - 20 Pack
1-11-911	1992 Trimming Knife Blades - 100 Pack
11-921T	1992 Trimming Knife Blades - 10 Pack Heavy Duty
0-11-921	1992 Trimming Knife Blades - 5 Pack Heavy Duty
1992-20	1992 Trimming Knife Blades - 20 Pack Heavy Duty
1-11-921	1992 Trimming Knife Blades - 100 Pack Heavy Duty
4-11-921	Heavy duty 400 pack


Features:

- Ideal for carpet, vinyl and any other material requiring a stiffer and stronger blade
- The original and best heavy duty, general purpose blade 0.65mm thick
 Can be supplied as 5 units on a card, 10 units in a dispenser or 100 units in
- 2 cutting positions for a variety of applications
- 2 point reversible blade
 Hardened and tempered utility blade for high sharpness and long life
- Blades fit all standard Stanley knives

Quick-point snap-off blades

0-11-300	Quick-point Snap-off Blades - 9mm 10 Pack
0-11-301	Quick-point Snap-off Blades - 18mm 10 Pack

- Replacement blade dispenser with blade breaker system and storage of used
- 0.55mm reinforced thickness for everyday general PRO use






STHT65199-8 - Cushion grip screwdriver set -

Magnetic tip - 4PC



Features:

- Phillips® PH1 x 100mm
- Phillips® PH2 x 150mm
- Slotted 6.5mm x 150mm
- Std Parallel 5mm x 100mm





Features:


- Chrome plated blade ensuring resistance to corrosion
- Soft grip handle for excellent comfort and control
- Tip identification for easy choice of correct screwdriver

0-65-011 - Cushion grip scewdriver set -



Features:

- Soft grip handle for excellent comfort and control
- High grade steel bar reducing the risk of tip breakage
 Chrome plated bar ensuring resistance to corrosion
- Large diameter handle which offers great torque needed for driving wood
- Tip identification for easy choice of the correct screwdriver for each screw type
- Nickel plated bar protects from rusting
- Shot blasted magnetic tips ensure a stronger screw pick up





Features:

- Delivered with 10 x 1/4" hex tips
- Pawl mechanism with three positions (right, left, fixed)
- Patented bit storage in handle and cap for ease of visibility, access and
- Ball bearing system with spring mechanism to facilitate access to the tips
- 3 Position ratchet mechanism
- Rust-proof chrome blade
- Tri lobular handle, bimaterial handle for torque and easy grip
- Parallel 5,6mm. Phillips n°1, 2. Pozi 1,2. Torx T10, T15. Square n°1, 2.

0-66-357 - Stubby screwdriver & Multibit set -



Features:

- Magnetic tip
- Twist off cap
- Durable ABS plastic
- Internal bit storage

66-052 - Precision screwdriver set - 6PC



- Slotted: 14; 2.0; 2.4; 3 Phillips: PH0; PH1
- Plastic storage case to easily index the
- Tough plastic shafts and soft cushion grip allows for greater comfort
- Attractive bi-material handles designed for easy and comfortable grip
- Chrome vanadium steel parts in black oxide finished with hardened tips -HRC 53





Features:

- Finish : Black Phosphate
- All keys stored in a size marked order for ease of access
- Silicium steel
- All kevs stored in a size marked plastic holder
- 1.5 2 2.5 3 4 5 6 mm





- All keys stored in a size marked order for ease of access
- Finish: burnished
- Silicium steel
- 8 piece Torx configured tips made from high tensile steel 9-10-15-20-25-27-30-40



Features:

- Standard hex keys in high tensile steel for long life 1/16, 5/64, 3/32, 7/64, 3/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"

SAW CUTTING TOOLS

STANLEY

15-166 - Pro steel frame hacksaw 450mm



Features:

- Positive locking mechanism
- Two blade position 90°/55°
- Aluminium handle 12" blades

E-15200 - Adjustable chrome-frame hacksaw



- Adjustable rigid steel frame
- Plastic handle for comfort
- Chrome plated

SAW CUTTING TOOLS STANLEY



E-20206 - Fixed Hacksaw



Features:

- Ful grip protects knuckles
- Sturdy, all steel pointed frame

STHT20807-8 - Mini-Hack utility saw - heavy



Features:

- Durable solid aluminum construction
- Ideal for hard-to-reach places
- 10" blades

0-20-807 - Mini-Hack utility saw - standard duty



- · Allows the use of truncated sections of blade
- Fine adjustment of the blade length gives greater range of applications
- Ergonomically designed grip with thumb rest for maximum comfort
- Back blade stop for safe handling and use
- 35mm cutting capacity
- Metal mini saw ideal for small areas with limited access

0-15-218 - Junior hacksaw - plastic handle



Features:

- Moulded handle lightweight and strong
- Lever incorporated in the handle allowing a rapid change in the blade
- Rapid hardened steel blade for improved cutting efficiency
- Quick release hacksaw features a lever moulded into grip handle for easy blade change
- Deep throat for good work capacity
- Square rigid tube mounting for strength

0-20-092 - 3-in-1 Utility saw set



- Multi-Purpose 3-in-1 Saw Set offers end users the functionality of 3 different blades in one space saving design - universal pull saw blade, metal saw blade and compass saw blade
- The diamond pattern and rubber over-molding on the handle allows end users to use the 3 in 1 Saw with reduced grip slip

 The main blade utilizes a Pull Saw tooth configuration which is less likely to
- jam or bend while in use
- The turn knob allows the user to conveniently store all three blades, switch blades, and tilt each blade into 6 different positions • 250mm / 10" aggressive tooth 11 teeth per inch universal wood saw blade
- cuts on the "pull" stroke perfect for general woodwork and pruning
- 200mm / 8" compass saw blade 9 teeth per inch for more detailed work
- 150mm / 6" metal hacksaw blade 24 teeth per inch for cutting metal pipes and





Features:

- Good value for general use
- High carbon steel blades cut mild steel, cast-iron, aluminum, copper
- Points per Inch 19
- Teeth per inch 18
- Blade Length 300mm



STANLEY

HAMMERS

STANLEY



1-51-505	Graphite Claw Hammer - 450g
1-51-507	Graphite Claw Hammer - 540g

Features:

- Comfortable slip resistant grip
- Vibration dampener through the combination of a flexible elastomer coating and a graphite core
- Handle cannot be removed thanks to its exclusive unbreakable head-handle link, flat head and sharp angles
- Full length graphite core shaft for maximum strength and balance
- 5 times fewer vibrations than a wooden handle
- Fully heat treated and rim tempered striking face for strength and safety

Tubular steel handle claw hammer



STHT51081-8	Tubular Steel Handle - 450g
STHT51082-8	Tubular Steel Handle - 570g

Features:

- Flock-filled rubber grip for comfort and durability
 Hardened and tempered tubular steel shaft for strength
- Shaft 15% longer for better balance & control in usage

Ballpein hammer - Hickory wood handle



STHT54189-8	Ball Pein Hammer - Hickory Wood - 383g
STHT54190-8	Ball Pein Hammer - Hickory Wood - 480g
STHT54191-8	Ball Pein Hammer - Hickory Wood - 618g
54-193	Ball Pein Hammer - Hickory Wood - 910g

Features:

- Ball end used for riveting and poll used for normal striking
- Handle 25% longer in 16-32oz sizes for better balance and control
- Meets ANSI standards
- The hammer head is attached with 2 wedges for better durability

Hickory wood handle claw hammer



STHT51271-8	Hickory Wood Handle - 450g
STHT51274-8	Hickory Wood Handle - 570g

- Forged high-carbon steel head provides durability
- Fully heat-treated and polished bell face
- Light weight wooden handle







57-554 Club Hammer - Hickory Wood Handle - 1000g

Features:


- Black epoxy head with polished convex faces
- Securely fitted, moisture sealed hickory shaft

Rubber mallet - Hickory wood handle



STHT57528-8 Rubber Mallet - Hickory Wood Handle - 610g

- Rubber head helps minimize marring and surface damage
- Tough rubber head molded to a wood handle





4-84-489 - Maxsteel VDE plier set - 4 PC

Features:

- Interlocking joint assembly for smooth cutting
- Hand ground, induction hardened blade for long life and accuracy
- Heat treated high chrome steel forging for long life and durability
- Bi-material handle with secure grip grooving
- 1000V rated handle
- DIN/ASO/ANSI compliant, EN60900, IEC/CEI900, VDE0693
- Safe live line working to 1,000 V
- Individually tested to 10,000v
- Combination pliers 165 mm, Half round long nose pliers 160 mm, Diagonal copper wire cutting pliers 175 mm & Wire stripper 170 mm



0-84-002 - VDE combination plier - 200mm



Features:

- Safe live line working to 1,000v
- 1000V rated handle
- Bi-material handle with secure grip grooving
 Heat treated high chrome steel forging for long life and durability
- Hand ground, induction hardened blade for long life and accuracy
- Interlocking joint assembly for smooth cutting
- Individually tested to 10,000v Compliant to EN60900, IEC/CEI900, VDE0680

0-84-004 - VDE Diagonal plier - 195mm



- Safe live line working to 1,000v
- 1000V rated handle
- Bi-material handle with secure grip grooving
 Heat treated high chrome steel forging for long life and durability
 Hand ground, induction hardened blade for long life and accuracy
- Interlocking joint assembly for smooth cutting
- Individually tested to 10,000v Compliant to EN60900, IEC/CEI900, VDE0683

0-84-007 - VDE long nose pliers - 210mm



- Bi-material handle with secure grip grooving
- Hand ground, induction hardened blade for long life and accuracy
- Heat treated high chrome steel forging for long life and durability
- Individually tested to 10,000v
- Interlocking joint assembly for smooth cutting

DYNAGRIP BI-METAL MATERIAL PLIER







0-84-053	Long Nose - 150mm
0-84-625	Long Nose - 200mm

Features:

- Close fit machined jaws for efficient cutting
 Induction hardened and tempered metal for longer performance
- Bi-material handles for comfort and grip even with oily hands
- Brushed steel finish
- Forged carbon steel jaws and handle for long life

Diagonal cutters



0-84-054	Diagonal Cutters - 150mm
0-84-622	Diagonal Cutters - 200mm

Features:

- Close fit machined jaws for efficient cutting
 Induction hardened and tempered metal for longer performance
- Bi-material handles for comfort and grip even with oily hands
- Brushed steel finish
- Forged carbon steel jaws and handle for long life

Combination plier



0-84-055	Combination Plier - 150mm
0-84-056	Combination Plier - 180mm
0-84-623	Combination Plier - 200mm
84-154	Combination Plier - 228mm

Features:

- Forged carbon steel jaws and handle for long life
 Close fit machined jaws for efficient cutting
 Induction hardened and tempered metal for longer performance
- Bi-material handles for comfort and grip even with oily hands
- Brushed steel finish
- Two-position, adjustable joint pliers used for grasping & turning

Plier set dyna grip bi-material - 3PC

STHT73655-8 Plier Set Dyna Grip Bi-material - 3PC

- 6" Diagonal Cutting Pliers6" Long Nose Pliers
- 7" Combination Pliers





- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Forged carbon steel jaws fully heat treated for optimum performance and



- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Forged carbon steel jaws fully heat treated for optimum performance and durability



Features:

- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Forged carbon steel jaws fully heat treated for optimum performance and durability
 Meets ANSI specifications



STHT84104-8	Basic Diagonal Cutting Plier - 125mm
STHT84105-8	Basic Diagonal Cutting Plier - 150mm
STHT84108-8	Basic Diagonal Cutting Plier - 180mm

Features:

- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Forged carbon steel jaws fully heat treated for optimum performance and durability

 • Meets ANSI specifications



STHT84112-8	Basic Linesman Combination Plier - 180mm
STHT84113-8	Basic Linesman Combination Plier - 200mm

Features:

- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Forged carbon steel jaws fully heat treated for optimum performance and

Basic long nose pliers



STHT84096-8	Basic Long Nose Plier - 125mm
STHT84101-8	Basic Long Nose Plier - 152mm
STHT84102-8	Basic Long Nose Plier - 200mm

- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Forged carbon steel jaws fully heat treated for optimum performance and durability

BASIC PLIERS



Basic groove joint pliers



0-84-110	Basic Groove Joint Plier - 250mm
84-111	Basic Groove Joint Plier - 300mm

Features:

- Heat treated carbon steel forging for long life
- Ground heat treated cutting edges for longer life, durability and accuracy
- Comfort grip handles
- Polished heads
- Multiple jaw positions

Lock jaw pliers - Curved jaw



84-368	Lock Jaw Plier - 178mm Curved Jaw
84-369	Lock Jaw Plier - 254mm Curved Jaw

Features:

- Curved jaws puts tremendous pressure on 4 points at any style or bolt
- Heat-treated adjustable screw
- Ideal for precision work
- Serrated jaws made of chrome molybdenum material

Lock jaw pliers - Straight jaw



	Lock Jaw Plier - 178mm Straight Jaw
84-371	Lock Jaw Plier - 254mm Straight Jaw

Features:

- Heat-treated adjustable screw
- Ideal for precision work
- Serrated jaws made of chrome molybdenum material

STANLEY

MULTI TOOLS





- Length when open: 165mm
- Supplied with a STANLEY branded pouch including belt clip
- Easy access to tools
- Ergonomic handle with attractive polished finish
- Stainless steel construction for long life
 Length when bent: 105mm

STHT0-70648 - Multitool - mini set



- Hardened and tempered tools for long life
- Modern slick polished look
 Combination pliers saw Knife flathead screwdriver "Phillips" a flathead screwdriver 3 mm - can opener, file
- An ideal tool for everyday use
- Dimensions folded only 75x32x17mm
- Weight: 78 g
 Saw, Knife, Phillips 1mm & 3mm Slotted Screwdriver, Can Opener, File, Combination Pliers



Maxsteel bench vices

1-83-066	Maxsteel Bench Vice 100mm
1-83-067	Maxsteel Bench Vice 120mm
1-83-068	Maxsteel Bench Vice 150mm

Features:


- Base bolts directly to work bench surface for stability
- Base swivels and locks for versatility
- Chrome-plated to resist corrosion



STANLEY

STAPLERS

STANLEY





Features:

- Aluminium cast housing for greater durability
- Lock down handle for easier storage
- Pinch point free design for added safety
- Easy push handle easier to use
- Quick-view window simplifies staple identification
- Accepts heavy duty staples and brads for multiple applications
- Internal wire guide for greater accuracy
- Flush-nose design solves the problem of stapling in tight spots
- Easy access staple & brad insertion for faster loading
- Hi/Lo adjustment to match density of materials



Features:

- Lightweight with convenient handle lock for safe storage
- Quick-jam-clear mechanism saves time and hassles
- Chrome-plated steel construction for durability
- Takes light duty staples
- Easy access staple insertion for fast loading
- Lock down handle for easier storage
- Cutcase packaging

Light duty staples



Light Duty Staples - 6mm x 1000

1-TRA204T

Light Duty Staples - 8mm x 1000

1-TRA205T

Light Duty Staples - 10mm x 1000

Features:

- Light duty
- 4mm, 6mm, 8mm, 10mm, 12mm, 14mm



Heavy duty staples

1-TRA704T

Heavy Duty Staples - 6mm x 1000

1-TRA705T

Heavy Duty Staples - 8mm x 1000

1-TRA706T

Heavy Duty Staples - 10mm x 1000

1-TRA708T

Heavy Duty Staples - 12mm x 1000

1-TRA709T

Heavy Duty Staples - 14mm x 1000

Features:

- Heavy duty6mm, 8mm, 10mm, 12mm, 14mm



Brad nails

1-SWK-BN050T

Brad Nails - 12mm x 1000

1-SWK-BN625T

Brad Nails - 16mm x 1000

Features:

Fit most 18 GA Brad Nailers





GR100ZA - Dualmelt pro glue gun kit - 80W



Features:

- Delivers industrial performance with consumer appeal
- Exclusive auto shutoff light ensures safety, reliability and extended life
- Dual heater provides outstanding glue output
- Temperature switch for both high- and low-temperature glue applications
 On/off light and protected nozzle for added safety
- Cushion grip for comfortable, slip-resistant trigger action
- Interchangeable nozzle capability
- Fold-out stand for safe, handy storage while in use



69-665 - Glue gun - heavy duty - 40W



- Delivers industrial performance with consumer appeal
- Exclusive auto shutoff light ensures safety, reliability and extended life
- Dual heater provides outstanding glue output
- Temperature switch for both high- and low-temperature glue applications On/off light and protected nozzle for added safety
- Cushion grip for comfortable, slip-resistant trigger action
- Interchangeable nozzle capability
- Fold-out stand for safe, handy storage while in use

69-028 - Mini glue gun - 12W



Features:

- Trigger feed
- Sleek ergonomic design
- Built-in stand
- Uses mini hot melt or dual temperature glue
- Small, portable size for quick gluing jobs in tight spots
- Trigger-feed mechanism controls glue flow
 Uses standard .28" mini hot melt sticks
 Fold-out stand for handy storage while in use

Glue Sticks



1-GS10DT	Glue Sticks - Mini Dual Temp - 24PC
GS230S	Glue Sticks - All Purpose - 100mm 6PC
GS260	Glue Sticks - Wood working - 100mm 6PC
GS300	Glue Sticks - All Purpose - 11.2 x 300mm 1kg
GS500	Glue Sticks - FOrmula Super Srength - 6 PC



STHT69646-8 - Hand riveters light duty



Features:

- Long handle makes riveter easy to squeeze
- Slim-nose design fits in difficult-to-reach places
- Spring-loaded handle ejects rivet stem automatically

STHT69800-8 - Hand riveters heavy duty



Features:

- 4 nose pieces & wrench store in handle for versatility and convenient storage
- Longer handle for ease of squeeze
- Heavy duty, long lasting
- Accepts aluminium & steel rivets for a wide range of applications

69-800SA - Heavy duty riveters contra-pull



Features:

- Blade storage for convenience
- Instant blade change for speed of use
- Ergonomic, rugged design for heavy duty use

MISCELLANEOUS

STANLEY

Pipe wrench



87-622	Pipe Wrench - 241mm
87-623	Pipe Wrench - 295mm
87-624	Pipe Wrench - 330mm
87-625	Pipe Wrench - 408mm
87-626	Pipe Wrench - 550mm

Features:

- · Cast iron body
- Knurled large carbon steel nutJaw forged in Chrome Molybdenum steel
- Construction in double "T" for greater resistance and durability
- Two way toothing and spring loaded jaw provides positive grip

1-77-174 - Odomoter (counter measuring wheel) 5 digit

Features:

- 5 digit counter with manual reset button for superb accuracy
- Die cast Aluminium wheel with wear resistant rubber tread for improved traction & longer life
- Folding Kick stand
- Folding wheel mount
- Gear driven counter with tough plastic housing for long life
- Heavy Duty metal folding handle & rubber hand grip for maximum durability



Soldering iron

69-031B-ZA	Soldering Iron - 30W
69-033B-ZA	Soldering Iron - 40W

- Shot blasted tips ensure improved torque and corrosion protection
- Smooth domed end for fast spinning action speed and comfort
- · Colour coded ends make it easy to identify the correct screwdriver for each screw type



HAND TOOLS



FATMAX PRO



XTHT0-33671	5m x 32mm
XTHT0-33501	8m x 32mm

Features:

- Bi-material case for comfort
- Hook Storage Securely stores hook when not in use
- 3,3m Blade Standout: Increases reach and efficiency
- Mylar coating : x10 Longer vs standard blade
- BladeArmor® coating : x2 blade life PATENTED
- New reverse lock mechanism Engage auto-lock for greater control and increased blade life - PATENTED

FMHT43610 - FATMAX extreme aluminium torpedo level



Features:

- 10 years warranty on the accuracy
- 3 vials (find angles, vertical, horizontal)
- Magnified centre vial for improved all round visibility
- Rounded surface
- V shaped metal grove for use on pipes
- Rare earth magnets which are twice as strong as basic strip magnets
- Die cast aluminium body
- Duplicate angles
- Accuracy ± 0.5 mm/m
- 180 degree rotation vial

0-10-778 - FATMAX Xrtream retractable utility



Features:

- Soft touch panels for more comfortable grip
- Blade storage for 5 blades inside handle
- Narrow nose ideal for more accurate cutting applications
- Interlock nose locking system for greater safety during cutting
 Comes supplied with 5 FatMax blades
- Instant change button for fast blade changes
- Cartridge holds up to 5 blades
- Drop testing ensures knife still operates even if dropped
- · Ergonomic design ideal for cutting material such as carpet without scrapping
- Solvent resistance ensures resistance to: Gasoline, Turpentine, Lacquer, Alcohol, Thinners, Mineral Spirits

0-10-780 - FATMAX fixed blade utility knife



Features:

- Ergonomic design for ease of use
- Soft touch panels/grips allow control, fewer slips
- Blade clamp eliminates blade wobble, gives control
- Pop-up blade dispenser for easy access and fast changeover
- Cartridge holds up to 5 blades
 Supplied with FATMAX® blades
- Dual blade position in nose for versatility

0 - 10 - 825 - FATMAX retractable folding knife



- · Blade storage for convenience
- Instant blade change for speed of use
- Ergonomic, rugged design for heavy duty use
- Retractable blade for safety and convenience
- Folding knife provides safe and convenient pocket storage
- Soft grip handle for comfort



0-65-441 - FATMAX Insulated VDE Flat/Phillips screwdriver set - 6PC

Features:

- Handle moulded direct to bar virtually unbreakable bond.
- Chrome vanadium steel bar allows for high torque and reduces the chance of tip breakage
- Large diameter handle offers great torque needed for driving wood screws
- Colour coded ends make it easy to identify the correct screwdriver for each screw type
- Shot blasted tips ensure improved torque and corrosion protection

 Extremely tough Polyamide blade insulation
- sleeve makes it resistant to impact at -25 degrees centigrade and ensures increased abrasion resistance and reduced moisture absorption
- Soft grip handle perfect combination of great grip plus reduces fatigue
- An industrial grade 1000V a.c. insulation -Tested to EN60900:2004 meaning that that this screwdriver is suitable for live working use up to 1000V a.c





0-20-108 - FATMAX 5-in-1 hacksaw



Features:

- Blade storage inside frame for metal or wood cutting blades
- Blade can be attached to the front of the hacksaw frame for inside cuts
- When working in tight spaces, the front section of the frame can be removed like a jabsaw
- Blade can be quickly positioned to a 45° angle for making flush cuts
- Standard position is a 90 degree hacksaw with large throat depth
- · Fully adjustable tension holds blade up to 100kg

0-65-440 - FATMAX Flat/Phillips screwdriver set

Features:

- Shot blasted tips ensure improved torque and corrosion protection
- Colour coded ends make it easy to identify the correct screwdriver for each screw type
- Large diameter handle offers great torque needed for driving wood screws
- Chrome vanadium steel bar allows for high torque and reduces the chance of tip breakage
- Handle moulded direct to bar virtually unbreakable bond.
- Soft grip handle perfect combination of great grip plus reduces
- Parallel 3.5mm X 75mm, 4mm X 100mm, 5.5mm X 125mm. Philips PH1 X 100mm, PH2 X 125mm

0-20-556 - FATMAX plasterboard jab saw



Features:

- Sharpened tip punches through drywall with ease
- Anti-slip ergonomic bi-material handle for optimum user comfort
 Triple bevelled toothing for 50% quicker easier cutting
- Sharp ToothTM Technology cuts on push and pull strokes and is up to 50% faster than traditional tooth designs
- 7 teeth per inch, ideal for punching through plasterboard
- · Excellent for wood, plastic and drywall

FATMAX Extreme antivibe steel claw hammer



FMHT1-51276	FATMAX Extreme antivibe steel claw hammer - 450g
FMHT1-51277	FATMAX Extreme antivibe steel claw hammer - 570g

Features:

- · One piece solid forged head for larger sweet spot and better balance
- Patented Torsion Control- Reduces the damaging twisting rotational force felt on arm muscles and tendons by as much as 30% vs. standard one-piece steel hammers
- Patented AntiVibe tuning fork technology reduces arm damaging vibrations
- New 75% Larger striking face for a bigger sweet spot

FATMAX Combination pliers



0-89-879	FATMAX Combination plier - 180mm
0-89-868	FATMAX Combination plier - 200mm

- Heat treated forged chrome steel alloy for long life and durability
- Easy adjustment of grips while in use
- Ergonomic guards for efficient pulling and pushing actions
- Complies with all DIN, ISO and ANSI standards
- FatMax grips resistant to most common chemicals
- Polished head
- Comfortable and increased control thanks to FatMax soft bimaterial handles

HAND TOOLS



FATMAX Diagonal cutting pliers



0-89-858	FATMAX Diagonal cutting plier - 150mm
0-89-850	FATMAX Diagonal cutting plier - 190mm
0-89-850	FATMAX Diagonal cutting plier - 200mm

Features:

- Easy adjustment of grips while in use
- Comfortable and increased control thanks to NEW FatMax soft bimaterial handles
- Ergonomic guards for efficient pulling and pushing actions
 Complies with all DIN, ISO and ANSI standards
- FatMax grips resistant to most common chemicals
- Heat treated forged chrome steel alloy for long life and durability

FATMAX Long nose pliers



0-89-869	FATMAX Long nose plier - 150mm
0-89-870	FATMAX Long nose plier - 200mm

Features:

- Easy adjustment of grips while in use Comfortable and increased control thanks to NEW FatMax soft bimaterial
- Ergonomic guards for efficient pulling and pushing actions Complies with all DIN, ISO and ANSI standards
- FatMax grips resistant to most common chemicals
- Polished head
- Heat treated forged chrome steel alloy for long life and durability

FATMAX Multigrip groove joint plier



0-84-858	FATMAX Multigrip groove joint plier - 150mm
0-84-647	FATMAX Multigrip groove joint plier- 200m
0-84-648	FATMAX Multigrip groove joint plier - 250mm
0-84-649	FATMAX Multigrip groove joint plier - 300mm

Features:

- PushLock™ adjustment button patented mechanism
- Optimised jaw geometry for multiple gripping applications performance and accessibility
- Ergonomic bi-material handle for comfortable grip and increased control
- 17 adjustable locking positions for versatility
- Induction hardened jaws for increased durability Drop forged construction for added strength

0-89-874 - FATMAX Cable Cutter - 220mm



Features:

- · Easy adjustment of grips while in use
- Comfortable and increased control thanks to NEW FatMax soft bimaterial
- Ergonomic guards for efficient pulling and pushing actions
- Complies with all DIN, ISO and ANSI standards
- FatMax grips resistant to most common chemicals
- Polished head
- Heat treated forgerd chrome steel alloy for long life and durability

2-14-563 - FATMAX Straight aviation snips - long cut - 250mm



Features:

- Suitable for cutting aluminium, sheet UPVC, wire mesh, leather, copper and
- Serated cutting edges prevent slippage when cutting
- Made from forged alloy steel for strength and durability
- Twin spiral spring for increased longevity
- Automatic unblocking of the lock/seal by simple pressure
- Permanent identification plate for the direction of cutting
- Chrome plated nuts and bolts
- Toothed blades favouring the holding of the sheet metal during cutting
- Exceeds ANSI standards for cutting performance and durability Cuts up to 18 gauge mild steel 0.7 to 1.2mm

2-14-562 - FATMAX Offset aviation snips - left cut - 250mm



- Double pivot action for high cutting power
- One handed automatic latch release
- Bi-material easy grip handles
- Cuts up to 18 gauge mild steel 0.7 to 1.2mm Made from forged alloy steel for strength and durability
- Serated cutting edges prevent slippage when cutting
- Suitable for cutting aluminium, sheet UPVC, wire mesh, leather, copper and plastic
- Same characteristics as the aviation snips straight



2-14-564 - FATMAX offset aviation snips - right cut - 250mm



Features:

- Double pivot action for high cutting power
- One handed automatic latch release
- Bi-material easy grip handles Cuts up to 18 gauge mild steel 0.7 to 1.2mm
- Made from forged alloy steel for strength and durability
- Serated cutting edges prevent slippage when cutting
- Suitable for cutting aluminium, sheet UPVC, wire mesh, leather, copper and plastic Same characteristics as the aviation snips straight

1-93-935 - FATMAX Waterproof toolbox - 71cm



Features:

- Tough Ergonomic soft grip handle allows heavy loads to be carried with ease
- Integrated V-Groove on top lid for sawing work needed, suitable for working with pipes and lumber
 Large metal rust proof latches with padlock for locking possibilities
- Portable Tote tray designed to carry tools and small parts, yet enables large tool storage inside the tool box as it is 3/4 length
- Dimensions: 71.4x25.4x30.9cm 28"

1-93-293 - FATMAX Professional organiser extra large - 49cm x 43cm



Features:

- Comfortable heavy duty shoulder strap & 14 removable storage cups
- Durable rust proof latches and back hinges
- Aluminium tubular handle for stable portability and convenient carrying of
- extra heavy loads, suitable for use with gloved hands
 Rust proof metal back hinges and aluminium latches
- Extra large storage capacity for small parts and accessories
- See through polycarbonate lid locks components in position for easy access

1-95-611 - FATMAX Backpack toolbag - 37cm x 27cm x 46cm

- 50 Pockets / tool holders for a wide variety of tools, including longer tools on the side such
- Waterproof plastic bottom protects against moisture and dirt
 Removable dividers system with tool holders is easily detachable, with handle for easy carriage. Spreads to form a work surface
- Rigid form can stand in open position enabling access to all tools
- Back support system and air mesh shoulder straps for ergonomic, convenient carriage. Spreads weight of tools instead of lifting in one hand
- Separate, strong compartment for power tool or laptop
- Dual zipper closure enables opening from every end
- Weight when empty 2,21kg / 28l



HAND TOOLS



ARTISAN BOX LEVELS



F7700LLB	Artisan Box Level - 300mm
F7701LLB	Artisan Box Level - 450mm
F7702LLB	Artisan Box Level - 600mm
F7703LLB	Artisan Box Level - 800mm
F7704LLB	Artisan Box Level - 900mm
F7705LLB	Artisan Box Level - 1000mm
F7706LLB	Artisan Box Level - 1200mm

Features:

- Light duty aluminium box section with single plumb and horizontal vials.
- Graduated in mm's on bottom edge. Machined base. 1mm / m accuracy

F7744LL5 - Magnetic Spirit level - 600mm



Features:

BUILDERS MAGNETIC LEVEL heavy duty box section with hand holes and plumb, horizontal and angle vial. Magnetic base for use on steel structures.

FF77-9LS4 - Boat level



Features:

 BOAT LEVEL aluminium and plastic body with magnetic base. Fitted with horizontal vertical and 45 degree vials.

Light duty tape measures



F7710PR5	Light duty tape measure - 3m x 16mm
F7711PR5	Light duty tape measure - 5m x 16mm
F7720PR5	Light duty tape measure - 8m x 16mm

Features:

- Power return steel tape in plastic / rubber moulded case with tape stopper.
- Graduated mm both edges

Heavy duty tape measures



F7196PR11	Heavy duty tape measure - 3m x 16mm
F7197PR11	Heavy duty tape measure - 3m x 16mm
F7199PR11	Heavy duty tape measure - 3m x 16mm

Features:

 Power return, nylon coated steel tape, shockproof Co-Moulded rubber / plastic case for comfortable grip.

Long tape - Fibre glass



F7713TM8	Long tape - Fibreglass - 10m x 12mm
F7714TM8	Long tape - Fibreglass - 20m x 12mm
F7715TM8	Long tape - Fibreglass - 30m x 12mm
F7716TM8F	Long tape - Fibreglass - 50m x 12mm
F7717TM8F	Long tape - Fibreglass - 100m x 12mm

- Medium duty fibreglass strands coated with PVC, wound into plastic case, graduated both sides and fitted with end ring.
- 1/16, 5/64, 3/32, 7/64, 3/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"
- On plastic, open frame winder graduated metric both sides and fitted with end ring.





F7230TM12	Long tape - Steel - 10m x 10mm
F7232TM12	Long tape - Steel - 20m x 10mm
F7233TM12	Long tape - Steel - 30m x 10mm
F7234ATM12F	Long tape - Steel - 50m x 12mm
F7240TM12F	Long tape - Steel - 100m x 12mm

- Lacquer coated steel tape in ABS plastic case with belt clip.
- Graduated mm's and metres fitted with end ring and hook.
 Lacquer coated steel tape in ABS plastic frame winder.
 Graduated mm's and metres fitted with end ring and hook.

PRO CHROME TAPES



F7230TM12	Long tape - Steel - 10m x 10mm
F7232TM12	Long tape - Steel - 20m x 10mm
F7233TM12	Long tape - Steel - 30m x 10mm
F7234ATM12F	Long tape - Steel - 50m x 12mm
F7240TM12F	Long tape - Steel - 100m x 12mm

Features:

- Lacquer coated steel tape in ABS plastic case with belt clip.
 Graduated mm's and metres fitted with end ring and hook.
- Lacquer coated steel tape in ABS plastic frame winder.
- Graduated mm's and metres fitted with end ring and hook.

Chalk Line



F7760CHL1	Chalk Line - 30m
F7768CHB200	Chalk Blue - 10PK
F7769CHR200	Chalk Red - 10PK

Features:

CHALK LINE in plastic case. Individually display packed.

Mining Tape



F6082MT15	Mining Tape - 15m
F6083MT30	Mining Tape - 30m
F6084MT60	Mining Tape - 60m

Features:

• MINING TAPE complete with ABS plastic case and plated steel handle.

F7708LS8 - F120 x 75mm Post level



Features:

• POST LEVEL plastic body with magnetic strips. Fitted with vials in all 3 planes & hooks for bricklayers string.

Measuring wheel



F7637MW7	ROSS - Circumference 1m
F7630MW3A	Roto-Sure - Circumference 500mm
F7624MW4A	Roto-Sure - Circumference 1m

- ROSS MEASURING WHEEL light duty frame with 1m circumference wheel, illuminated counter and carry bag.
- R/SURE-MEASURING WHEEL standard light duty frame with 500mm
- circumference wheel and trigger brake.

 R/SURE-ECONO MEASURING WHEEL standard light duty frame with 1m circumference wheel and trigger brake.

HAND TOOLS







Features:

F7270 TK2 - Trimming knife - Retractable



Features:

Retractable blade

F4006 TK9 - Heavy Duty Knife



Features:

- Retractable blade
- Heavy duty

F4001 TK5 - Knife - Snap-off aluminium body-18mm



Features:

- 18mm Snap off bladeAluminium alloy body

Knife - Snap-off plastic body



F4005TK8	Snap-off plastic body - 9mm
F4002TK6	Snap-off plastic body - 18mm

Features:

- Retractable blade for safety and convenience
- Light plastic housingSnap off blade

F4000 TK4 - Folding utility knife and pouch



- Folding knife with belt clipPouch included







Features:

Folding knife with belt clip

F4041TKB10 - Standard duty blades - 10PK



Features:

• Standard replacement blades

Snap-off blades



F7745TK8B	Snap-off blades - 9mm 10PK
F7748TK6B	Snap-off blades - 18mm 10PK

Features:
• Snap off blades

Heavy duty blades



F4030TK1B/H5	Heavy duty blades - 5PK
F4036TK1B/H20	Heavy duty blades - 20PK
F4031TK1B/H100	Heavy duty blades - 100PK
F4035TK1B/H350	Heavy duty blades - 350PK

Features:
• Sheffield steel blades.

MFP - 1-in-1 Multi tool



FMHS2 - 300mm Professional hacksaw frame



HAND TOOLS

















Features:

- Two fold, rustless steel
- Graduated mm on one edge on both sides

F4503 FR3 - Clinometer Rule



Features:

- 4 fold polycarbonate plastic rule
- Fitted with spirit level and centre protractor
- Graduated in 5mm divisions

F5422 60R - Engineers line of chords rule



Features:

- Two fold, rustless steel rule
- Graduated mm and line of shords on one side and mm and circumference scale on the other.

General purpose steel rules



F7730 30R	General purpose steel rules - 150mm
F7731 30R	General purpose steel rules - 300mm
F7732 30R	General purpose steel rules - 600mm
F7733 30R	General purpose steel rules - 1000mm
F7735 30R	General purpose steel rules - 2000mm

Features:

- Rustless steek
- Graduated mm both sides on both edges

Dumpy level and accessories



F7640 AL32CC	Dumpy level 32 x magnification
F7644 T1	Aluminium tripod
F7646SS2	Aluminium leveling staff

Features:

- Auto-level laser level
- 32 x magnification
- With carry case

SULTUS TO SULTUS SULTUS



HAND TOOLS



Parallel shank jobber drill bits

	•
1000100C2	1.0mm (2/Card)
1000150C2	1.5mm (2/Card)
1000200C2	2.0mm (2/Card)
1000250C2	2.5mm (2/Card)
1000300C2	3.0mm (2/Card)
1000350C	3.5mm
1000400C	4.0mm
1000450C	4.5mm
1000480C	4.8mm
1000500C	5.0mm
1000550C	5.5mm
1000600C	6.0mm
1000650C	6.5mm
1000700C	7.0mm
1000750C	7.5mm
1000800C	8.0mm
1000850C	8.5mm
1000900C	9.0mm
1000950C	9.5mm
1001000C	10.0mm
1001050C	10.5mm
1001100C	110mm
1001150C	11.5mm
1001200C	12.0mm
1001250C	12.5mm
1001300C	13.0mm
Features:	





Steel industrial cobalt drill bits

1030150C2	1.5mm (2/Card)
1030200C2	2.0mm (2/Card)
1030250C2	2.5mm (2/Card)
1030300C2	3.0mm (2/Card)
1030320C	3.20mm
1030400C	4.00mm
1030420C	4.20mm
1030450C	4.50mm
1030480C	4.80mm
1030500C	5.00mm
1030550C	5.50mm
1030600C	6.00mm
1030700C	7.00mm
1030800C	8.00mm
1030900C	9.00mm
1031000C	10.0mm
1031050C	10.5mm
1031100C	11.0mm
1031200C	12.0mm
1031300C	13.0mm





Features:

 118 degrees point angle fully ground drill made of 9341 material to DIN 338 specifications for drilling into all steel.

Features:

 135 degrees split point angle a fully round drill made with M2 and cobalt material in DIN 338 specification for high quality life time.

Masonry SDS + Drill

2220501C	5.0 x 110
2220502C	6.0 x 160
2220604C	6.0 x 260
2220802C	8.0 x 160
2220804C	8.0 x 260
2221002C	10 x 160
2221202C	12 x 160
2221405C	13 x 310
2221605C	16 x 300



Features:

 Made from carbon steel nickel plated with carbide tip for drilling into brick and concrete.

1180190 - Drill steel set



Features:

• Mitco Drill set - 1.0mm - 13.0mm by 0.5mm



DIY Masonry drill bits - Standard lenght

2240321C 3.0 x 75 2240351C 3.5 x 75 2240401C 4.0 x 75 2240452C 4.5 x85 2240502C 5.0 x 85 2240502C 5.5 x 85 2240603C 6.0 x 100 2240703C 7.0 x 100 2240804C 8.0 x 120 2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241305C 13.0 x 150 2241505C 14.0 x 150 2241505C 15.0 x 150		
2240401C	2240321C	3.0 x 75
2240452C	2240351C	3.5 x 75
2240502C 5.0 x 85 2240552C 5.5 x 85 2240603C 6.0 x 100 2240653C 6.5 x 100 2240703C 7.0 x 100 2240804C 8.0 x 120 2240854C 8.5 x 120 2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240401C	4.0 x 75
2240552C 5.5 x 85 2240603C 6.0 x 100 2240653C 6.5 x 100 2240703C 7.0 x 100 2240804C 8.0 x 120 2240854C 8.5 x 120 2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240452C	4.5 x85
2240603C 6.0 x 100 2240653C 6.5 x 100 2240703C 7.0 x 100 2240804C 8.0 x 120 2240854C 8.5 x 120 2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240502C	5.0 x 85
2240653C 6.5 x 100 2240703C 7.0 x 100 2240804C 8.0 x 120 2240854C 8.5 x 120 2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240552C	5.5 x 85
2240703C 7.0 x 100 2240804C 8.0 x 120 2240854C 8.5 x 120 2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240603C	6.0 x 100
2240804C 8.0 x 120 2240854C 8.5 x 120 2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240653C	6.5 x 100
2240854C 8.5 x 120 2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240703C	7.0 x 100
2240904C 9.0 x 120 2240954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240804C	8.0 x 120
2241954C 9.5 x 120 2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240854C	8.5 x 120
2241004C 10.0 x 150 2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240904C	9.0 x 120
2241105C 11.0 x 150 2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2240954C	9.5 x 120
2241205C 12.0 x 150 2241305C 13.0 x 150 2241405C 14.0 x 150	2241004C	10.0 x 150
2241305C 13.0 x 150 2241405C 14.0 x 150	2241105C	11.0 x 150
2241405C 14.0 x 150	2241205C	12.0 x 150
	2241305C	13.0 x 150
2241505C 15.0 x 150	2241405C	14.0 x 150
	2241505C	15.0 x 150
2241605C 16.0 x 150	2241605C	16.0 x 150
2241806C 18.0 x 160	2241806C	18.0 x 160
2242006C 20.00 x 160	2242006C	20.00 x 160



Features:

 Made from carbon steel nickel plated with carbide tip for drilling into brick and concrete.

DIY Masonry drill bits - Long lenght

2240647C	6.0 X 330
2240807C	8.0 X 330
2240957C	9.5 X 330
2241257C	13.0 X 330
2241607C	16.0 X 330
2242006C	20.00 x 160



Features:

 Made from carbon steel nickel plated with carbide tip for drilling into brick and concrete.

2280040B - Drill set - Masonry



Features:

• Size: 4mm, 6mm, 8mm, 10mm

1030020B - Drill set - steel industrial colbalt



Features:

• Sizes: 3mm, 4mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 8mm, 10mm

CABLE KNIVES

CKHB - Cable stripping knife with fixed hook blade



Total length:	155mm
Blade length:	38mm
Weight:	0.90kg

Features:

- No damage of the conductor cores
- Blade made of stainless steel Ergonomically designed safety handle, with transparent protective cap

CKSB - Cable stripping knife with straight blade



Total length:	180mm
Blade length:	50mm
Weight:	0.75kg

Features:

- No damage of the conductor cores
- Blade made of stainless steel
 Ergonomically designed safety handle, with transparent protective cap

CKCB - Cable stripping knife with curved blade



Total length:	180mm
Blade length:	40mm
Weight:	0.75kg

Features:

- No damage of the conductor coresBlade made of stainless steel
- Ergonomically designed safety handle, with transparent protective cap

CKSBE - Cable stripping knife with straight blade



Total length:	180mm
Blade length:	50mm
Weight:	0.65kg

Features:

- No damage of the conductor coresBlade made of stainless steel
- Ergonomically designed safety handle, with transparent protective cap

CKTW - Cable stripping knife for terminal wire



Total length:	150mm
Blade length:	28mm
Weight:	0.70kg

- No damage of the conductor cores
- Blade made of stainless steel
- Ergonomically designed safety handle, with transparent protective cap



SDE1 - 7 Piece insulated screwdriver set



Slotted:	3.0 x 100mm; 5.0 x 125mm; 6.5 x 150mm
Phillips:	PH0 x 75mm; PH1 x 100mm; PH2 x 100mm
Voltage Tester:	Multifunction

Features:

- Blade material Cr-VMagnetic tips.

SDP2 - 9 Piece delux precision screwdriver set



Slotted:	1.5 x 50mm; 2.0 x 50mm
Phillips:	PH00 x 50mm; PH0 x 50mm
Torx:	T10 x 50mm; T9 x 50mm; T8 x 50mm; T6 x

SDE3 - 3 Piece insulated screwdriver set



Mains tester:	120-250V
Phillips:	PH1 x 100mm
Slotted:	5.5 x 100mm

Features:

- Blade material Cr-VMagnetic tips.

SDM1 - 7 Piece engineering screwdriver set



Phillips:	PH1; PH2
Slotted:	3.0 x 150mm; 5.0 x 100mm; 6.5 x 100mm; 8.0 x 150mm

- Slip resistant "Tyre-Grip" handle
 Premium quality SVCM blade 58~61 HRC
 23% Strength saving

HAND TOOLS





Slotted:	3.0mm x 75mm
Phillips:	PH2 x 100mm`

Features:

- Superior slip resistant "Tyre-Grip" handlePremium Quality Cr-V Blade
- 54~58 HRC
- Black magnetic tip
- 23% strength saving

SDE7 - 7 Piece "Tyre-Grip" handle 1000V screwdriver set



Slotted:	3.0 x 75mm; 4.0 x 100mm; 5.5 x 125mm
Phillips:	PH0 x 60mm; PH1 x 5mm; PH2 x 100mm
Neon Tester	

Features:

- 1000V certification
- Superior slip resistant "Tyre-Grip" handle Cr-V material 54 ~ 58HRC
- Black magnetic tip
- 23% Strength saving

SDM8 - 8 Piece "Tyre'Grip" engineering screwdriver set



Slotted:	3.0 x 150mm; 5.0 x 100mm; 6.5 x 100mm
Phillips:	PH1; PH2
POZI:	PZ1; PZ2

Features:

- Slip resistant "Tyre-Grip" handle
- Premium Quality SVCM blade 58~61 HRC
- Strong magnetic black tip
- 23% Strength saving



Phillips: PH2 x 300mm Long

Features:

- Long blade length ideal for reaching deeply inset screw
- Cr-V material 54~58 HRC

SDD2 - 2 Piece demolition screwdriver set



Slotted:	8 x 200mm
Phillips:	PH2 x 200mm

- Steel core transfers strike force from strike cap to tip
- Slip resistant design handle
- 100% oil resistant





Slotted:	14mm; 2.0mm; 2.4mm; 3.0mm
Phillips:	PH0; PH1

- Comfortable grip with rotary basecap
- Cr-V material 50~55 HRC black tip
- Handle ABS & TPE, ABS Case
- Ideal for use with glasses, cameras, watches, electronics, computers and small appliances



SDP10 - 10 Piece professional precision



Slotted:	1.4mm; 2.0mm; 3.0mm
Phillips:	PH0; PH00; PH000
Torx:	T4; T5; T6; T8

Features:

- Comfortable handle with rotary base
- Convenient storage case with rotatable hanger Premium quality Cr-V material 54 ~ 58 HRC and rotary cap

SDAVT - DC automotive voltage tester with clip



* ATTENTION: Product with sharp point, please be careful. Keep out of reach of children

Features:

- Neon Indicator testing > 30 000 times
- Anti rust tip
- One piece molded insulated blade sheath and transparent plastic handle for maximum safety

 Good quality mini-clip
- Quality insulation AS body

Quality insulation AS body

AS/Cr-V blade 50~55 HRC

- Length: 145mm50~58 HRC

SDSB35 - 35 Piece stubby "Tyre-Grip" screwdriver bit



Torx:	T4; T5; T6; T7; T8; T9; T10; T15; T20; T25; T30
Phillips:	PH0; PH1; PH2; PH3
Slotted:	3.0; 4.0; 5.0; 6.0
Y:	1; 2; 3
	S1; S2
U:	2; 4; 6
Hex:	H2;; H2.5; H3.0; H4.0; H5.0; H6.0

Features:

Includes Stubby handle, 33 bit set and a Magnetic extension bit holder





TORCHES



TORCD1 - 12LM - 12 Lumens Mini keychain torch (1 x AAA battery included)

- Aircraft aluminium body, drop resistant with type II anodizing finish to protect surface
- 5mm LED, up to 100000 hours life time
- Head rotation switch
- IPX4 water resistant
- Size: 70mm x 13mm 15mm
- Weight: 19.2g (excl Battery)
 Mode: ON/OFF
- Output: 12LM • Run Time: 10H







Water Resistant







MAX TORQUE

TOR301 - 240LM - 240 Lumen magnetic LED tent lamp and flashlight (3 x AAA Batteries included)

Features:

- USA 3W CREE LED, up to 50000 hours lifetime
- Tail on/off switch with 10000 cycle lifetime
- IPX4 water resistant and impact resistant lens
- Aircraft aluminium body, drop resistant with type II anodizing finish to protect
- Size: 115mm x 26mm x 28mm
- Weight: 83g (excl batteries)
 Mode: HIGH / LOW / STROBE
- Output: 240 / 50 / 240 LM
- Run Time: 2H / 12H















High Mode

Drop Resistant

Beam Distance

Intensity

TOR101 - 380LM - 380 Lumen high brightness LED torch (3 x AAA Batteries included)

- CREE XP G2 S2 LD up to 50000 hours lifetime
- Tail on/off switch with 10000 cycle lifetime
- IPX4 water resistant and impact resistant lens
- Aircraft aluminium body, drop resistant with type II anodizing finish to protect surface
- Size: 138mm x 36mm x 45mm
- Weight: 210g (excl batteries)
- Mode: LOW / MIDDLE / HIGH / MAX / STROBE / SOS
- Output: 35 / 75 / 170 / 380 / 380 / 380 LM
- Run Time: 60H / 30H / 10H / 9.5h















High Mode

Water Resistant

Drop Resistant

Beam Distance

Intensity

TOR304 - 200LM - 200 Lumen super bright torch (3 x AAA batteries included)

- Up to 50000 hours lifetime
- Tail on/off switch with 10000 cycle lifetime
- IPX4 water resistant and impact resistant lens
- Aircraft aluminium body, drop resistant with type II anodizing finish to protect surface
- Size: 126.5mm x 20mm x 32mm
- Weight: 124.5g (excl batteries)
- Mode: ON/OFF
- Output: 200LM
- Run Time: 3H



















Intensity













TORB01 - 270LM - 270 Lumen rechargeable torch (Li-lon battery included)







High Mode







Intensity



Includes 18650 Li-Ion Battery 2500Ah

Features:

- CREE XP G2 S2 up to 50000 hours lifetime
- Tail on/off switch with 10000 cycle lifetime
- IPX4 water resistant and impact resistant lens
- Aircraft aluminium body, drop resistant with type II anodizing finish to protect surface
- Size: 165mm x 23mm x 35mm
- Weight: 155g (excl batteries)
- Mode: HIGH / LOW / SOS
- Output: 35 / 75 / 170 / 380 LM
- Run Time: 2.5H / 5h

TORHEAD - 60LM - 60 Lumens 2-in-1 headlamp and torch (batteries not included)







High Mode







Drop Resistant

Intensity

Features:

- 1 x AA Battery, multi lighting modes
- Mini size, very light weight and easy to carry
- Head switch
- IPX4 water resistant and impact resistant lens • Aircraft aluminium body, drop resistant with type II anodizing finish to protect surface
- Lenath: 89mm
- Weight: 30g (excl Battery)
- Mode: ON/OFF
- Output: 60LM Run Time: 6H



TORHEAD3 - 350LM - 350 Lumen super brightness LED headtorch (3 x AAA Batteries inluded)







High Mode





Drop Resistant

Beam Distance

Intensity

- CREE XP G2 S2 up to 50000 hours lifetime
- Tail on/off switch with 10000 cycle lifetime
- IPX4 water resistant and impact resistant lens
- Aircraft aluminium body, drop resistant with type II anodizing finish to protect surface
- Size: 126.5mm x 64mm x 45mm
- Weight: 88g (excl batteries)
- Mode: LOW / MIDDLE / HIGH / HIDDEN MAX / STROBE / SOS
- Output: 30 / 60 / 160 / 350 / 350 / 350 LM
- Run Time: 40H / 15H / 4.5H / 4H



MISCELLANEOUS



Strapping size:	9mm - 19mm
Thickness:	0.90 maximum
Length:	250mm
Weight:	1.82kg

Features:

- Superior slip resistant "Tyre-Grip" handle
 Premium Quality Cr-V Blade

LY205 - Strain relief bushing, insertion and extraction pliers



Length:	180mm
Weight:	0.14kg

Features:

- 1000V certification
- Superior slip resistant "Tyre-Grip" handle
 Cr-V material 54 ~ 58HRC

- Black magnetic tip23% Strength saving

KPS1631PPE - PPE Tools Rucksack



- Features:

 Durable Tool Rucksack

 PPE material
- Tools not included
- Ideal for mining environment
- High visability straps

KPS1631 - Tools Rucksack



- Durable Tool Rucksack
- PVC material
- Tools not included