FOOT PUMP

CFP-800 - Foot operated, 2 stage, hydraulic pump complete with hose and female coupling

Pressure:	700 Bar 10 000psi
Weight:	17.7kg

Features:

- Single-acting foot pump
- With pressure release lever with wide bottom frame
- High pressure oil pipe supplied
- Foot operated style
- Quick couple kept fast connection with compatible tools
- Double speed unit: for quick operation, allow quick oil delivery under no load condition (12.26cc/stroke) and then build sufficient working pressure under load condition (20-700 bar)
- · Safety valve: automatically relieves pressure when rated pressure is reached, to protect hydraulic system from over pressure
- Packed with steel case packing for easy carrying and protect pumps well during shipping




BATTERY OPERATED TOOLS

CRIMPING

BPL550A1120 - Inline Hydraulic crimping tool, battery operated hand grip crimping tool





Features:

- Robust plastic housing with rubber grip handle Quick opening and closing head, 180° rotatable with interchangeables dies and wide crimping
- Maximum operating speed with high performance motor

240

- Quick motor stop function for high user safety
- Simple display panel with light diode for battery charge level, crimping failure and maintenance control
- Manual retraction when crimp is complete
- Large and ergonomics triggers
- Pressure safety system to prevent over pressure failures
- Energy saving function by stopping tool after 10 min unused USB connection for data analysis & preventive maintenance with dedicate
- Workplace illumination by LED


BPL62OA1120 - Inline hydraulic crimping tool, battery operated hand grip crimping tool



Crimping Range:	6mm² - 300mm² CU/AL
Weight:	2.9kg
Battery:	18V
Length:	128mm
Accessories:	Case and Charger
Dies available:	6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300

Features:

- Robust plastic housing with rubber grip handle
 Quick opening and closing head, 180° rotatable with interchangeables dies and wide crimping
- Maximum operating speed with high performance motor
- · Quick motor stop function for high user safety
- Simple display panel with light diode for battery charge level, crimping failure and maintenance control
- Manual retraction when crimp is complete
- Large and ergonomics triggers
- Pressure safety system to prevent over pressure failures
- Energy saving function by stopping tool after 10 min unused USB connection for data analysis & preventive maintenance with dedicate
- Workplace illumination by LED





Crimping Range:	10mm² - 5000mm² CU/AL
Weight:	4.75kg
Battery:	18V
Lenght:	370mm
Force:	50kN

Features:

- Carry case and charger included
- Rotative head 360°
- Simple hydraulic system
- Lighter & smaller





Crimping Range:	10mm² - 240mm² CU/AL
Weight:	6.1kg
Battery:	18V
Length:	430mm
Force:	50kN

Features:

- Carry case and charger included Rotative head 360°
- 2 Speed hydraulic system

EMT-400C - Battery operated crimping tool



Crimping Range:	16mm² - 400mm² CU/AL
RAM:	42mm
Weight:	7.7kg
Battery:	18V, 3Ah
Accessories:	Plastic case, 1 Charger, 2 batteries
Dies included:	16mm, 25mm, 35mm, 50mm, 70mm, 95mm, 120mm, 150mm, 185mm, 240mm, 300mm, 400mm

Features:

- C-Shape Tool Head design allows operator to directly place cable between dies, do not need to remove locking bolt or open tool head
 Automatically releases pressure and retracts ram when crimping is complete
- Immediately stop motor and do not retract ram when operator releases switch during operation
- LED illumination for easier operation in dark place, LED indicator let operator charge battery in time
- Powerful motor ensures sufficient working force
- High-performance battery allows longer working time with one charge





Crimping Range:	16mm² - 240mm²
Length:	480mm
Weight:	3.15kg
Battery:	18V
Output:	12 Tons
Accessories:	Case and Dies
Dies available:	16mm, 25mm, 35mm, 50mm, 70mm, 95mm, 120mm, 150mm, 185mm, 240mm, 300mm

Features:

- Light weight, turnable head
- Pistol design in a solid housing

CRIMPING



Crimping Range:	6mm² - 400mm² CU/AL
Weight:	6.5kg
Battery:	18V
Length:	400mm

Features:

- Robust plastic housing with rubber grip handle
- Open C crimping head, 360° rotatable with interchangeables dies and wide crimping
- Maximum operating speed with high performance motor, with
- Quick motor stop function for high user safety
- Manual retraction when crimp is complete
- Rocking triggers system to prevent improper usage
- Pressure safety system to prevent over pressure failures
 Energy saving function by stopping tool after 10 min unused
- USB connection for data analysis & preventive maintenance with dedicated
- · Handling ring for safety cable or transportation



Features:

- Robust plastic housing with rubber grip handle
- Open C crimping head, 360° rotatable with interchangeables dies and wide
- Quick motor stop function for high user safety
- Manual retraction when crimp is complete
- Rocking triggers system to prevent improper usage
- Pressure safety system to prevent over pressure failures
- Energy saving function by stopping tool after 10 min unused
- USB connection for data analysis & preventive maintenance with dedicated software



Crimping Range:	40mm² - 180mm² CU/AL
Weight:	8.5kg
Battery:	18V
Length:	510mm

Features:

- Carry Case included
- New reinforced blades
- Indentical blade & counter blade
- Interchangeable blades
- Rotative head 220°
- · Locking pin



7.4kg 18V

480mm

Features:

Weight:

Battery: Length:

- Carry Case included
- New reinforced blades
- Indentical blade & counter blade
- Interchangeable blades
- Rotative head 180°
- · Locking pin