

Promotion runs from 1 April till 30 June 2025 or while stocks last. E & OE. All prices exclude VAT

MAXMINI - 15 Piece Toolkit



- MaxMini Bag Included, size: 30cm(H) x 18cm(W)
- 1pc 6 LED Headlight with Adjustable Setting
- 1pc Utility Knife
- 1pc Universal Panel Key
- 7pc 1000V Insulated Screwdriver set: Slotted: 3.0 x 75mm; 4.0 x 100mm; 5.5 x 125mm; Philips: PH0 x 60mm; PH1 x 75mm; PH2 x 100mm
- Neon Tester
- 1pc 150mm Adjustable Spanner
- 1pc 160mm Long Nose Pliers
- 1pc 160mm Diagonal Plier
- 1pc 160mm Combination Plier

excl VAT
R1 173.00

MAXMINI-1 - 15 Piece Toolkit



- MaxMini Bag Included, size: 30cm(H) x 18cm(W)
- 1pc 6 LED Headlight with Adjustable Setting
- 1pc Utility Knife
- 1pc Universal Panel Key
- 7pc 1000V Insulated Screwdriver set: Slotted: 3.0 x 75mm; 4.0 x 100mm; 5.5 x 125mm; Philips: PH0 x 60mm; PH1 x 75mm; PH2 x 100mm
- Neon Tester
- 1pc 150mm Adjustable Spanner
- 1pc 200mm Long Nose Pliers
- 1pc 200mm Diagonal Plier
- 1pc 200mm Combination Plier

excl VAT
R1 262.00

MAXELEC - 16 Piece Toolkit



- MaxElec Bag Included, size: 38cm(H) x 24cm(W)
- 1pc Utility Knife
- 1pc Allen Key Set, comprising of 9 keys: - 1.5 - 2.0 - 2.5 - 3.0 - 4.0 - 5.0 - 5.5 - 6.0 - 8.0
- 7pc 1000V Insulated Screwdriver set: Slotted: 3.0 x 75mm; 4.0 x 100mm; 5.5 x 125mm; Philips: PH0 x 60mm; PH1 x 75mm; PH2 x 100mm
- Neon Tester
- 1pc 200mm Adjustable Spanner
- 1pc 6 LED Headlight with Adjustable Setting
- 1pc 160mm Long Nose Pliers
- 1pc 180mm Diagonal Cutter
- 1pc 160mm Combination Plier
- 1pc Indent Crimper

excl VAT
R1 627.00

MAXPRO - 16 Piece Toolkit



- MaxPro Bag Included
- Size: 38cm(H) x 24cm(W)
- 1pc 200mm Adjustable Spanner
- 1pc Utility Knife
- 7pc 1000V German Insulated Screwdriver set: Slotted: 3.0 x 75mm; 4.0 x 100mm; 5.5 x 125mm; Philips: PH0 x 60mm; PH1 x 75mm; PH2 x 100mm
- Neon Tester
- 1pc 22mm Cable Cutter
- 1pc 160mm Long Nose Pliers (Super Range)
- 1pc 180mm Pliers (Super Range)
- 1pc Indent Crimper
- 1pc Universal Panel Key
- 1pc 6 LED Headlight with Adjustable Setting

excl VAT
R1 684.00

MAXBP - Backpack



- MaxBP Backpack Included, size: 46cm x 16cm x 37cm
- Backpack Only

excl VAT
R1 218.00

LK-250 - Heavy duty cable cutter with long handles

Cutting Range:	Up to 250mm ²
Length:	600mm
Weight:	1.2kg

excl VAT
R738.00

LK-60A - Cable and wire cutter for CU/AL

Cutting Range:	Up to 60mm ²
Length:	210mm
Max Diameter:	20mm
Weight:	0.4kg

excl VAT
R180.00

LK-22A - Cable and wire cutter for CU/AL



Cutting Range:	Up to 25mm ²
Length:	160mm
Max Diameter:	15mm
Weight:	0.19kg

excl VAT
R139.00

LK-38A - Cable and wire cutter for CU/AL

Cutting Range:	Up to 35mm ²
Length:	190mm
Max Diameter:	7mm
Weight:	0.3kg

excl VAT
R166.00

HS-325A - Ratchet cable core cutter for CU/AL

Cutting Range:	Up to 240mm ²
Length:	260mm
Max Diameter:	32mm
Weight:	0.7kg

excl VAT
R1 094.00

HS-95A - Cable and wire cutter for CU/AL



excl VAT
R271.00

Cutting Range:	Up to 70mm ²
Length:	220mm
Max Diameter:	15mm
Weight:	0.29kg

L71200SC - Heavy duty wire rope cutter with long handles

Crimping Range:	14mm Ø steel rope or 9mm steel rod or up to 200mm ² copper cable
Length:	600mm
Weight:	1.70kg

excl VAT
R2 648.00

L71060SC - Heavy duty wire rope cutters with long handles

Cutting Range:	7mm Ø steel rope or 5mm steel rod or up to 60mm ² copper cable
Length:	300mm
Weight:	0.80kg

excl VAT
R710.00

LK-500 - Heavy duty cable cutter with long handles

Cutting Range:	Up to 500mm ²
Length:	800mm
Weight:	2.8kg

excl VAT
R1 844.00

HS-700A - Automatic wire stripper with spring return

Stripping Range:	0.5mm ² - 2mm ²
Length:	175mm
Weight:	0.36kg

Features:

- Precise blade design that does not damage the conductor or cores
- During stripping the wire is held firmly by clamping jaws with adjustable length stop
- The spring returns the stripper to the starting position

L71400SC - Energy saving heavy duty wire rope and cable cutter with long handles

excl VAT
R3 840.00

XTHT0-33501 - 8m Tape measure



Features:

- Bi-material case for comfort
- Hook Storage Securely stores hook when not in use
- 3.3m Blade Standout : Increases reach and efficiency
- Mylar coating : x10 Longer vs standard blade
- BladeArmor® coating : x2 blade life - PATENTED
- New reverse lock mechanism Engage auto-lock for greater control and increased blade life - PATENTED

excl VAT
R467.00

D92134B - Cable tie tensioning tool for Stainless Steel cable ties

Cable Tie widths:	Up to 7.9mm
Length:	180mm
Weight:	0.70kg

Features:

- Suitable for self locking stainless steel cable ties
- Easy cut off process
- Light weight

HS-700B - Automatic wire stripper with spring return

Stripping Range:	1mm ² - 3.2mm ²
Length:	175mm
Weight:	0.36kg

Features:

- Precise blade design that does not damage the conductor or cores
- During stripping the wire is held firmly by clamping jaws with adjustable length stop
- The spring returns the stripper to the starting position

AP-30J - Ratchet energy saving crimping tool for pre-insulated terminals



Features:

- Continuous crimping at preset tension ensures accurate crimp
- Ratchet release

Crimping Range:	1mm ² - 6mm ²
Length:	250mm
Weight:	0.55kg
AWG:	17-10

excl VAT
R442.00

HS-700D - Auto-adjustable duck-mouth wire stripper and cutter

Stripping Range:	0.6mm ² - 6mm ²
Length:	175mm
Weight:	0.22kg

Features:

- Automatic stripping diameter for different wire cross sections precise blade design facilitated stripping without damaging the conductor cores
- The spring returns the stripper to the starting position

excl VAT
R151.00

AP-03C - Ratchet energy saving crimping tool for pre-insulated terminals

Crimping Range:	0.5mm ² - 6mm ²
Length:	250mm
Weight:	0.55kg
AWG:	20-10

Features:

- Continuous crimping at preset tension ensures accurate crimp
- Ratchet release
- Pressure adjustment



excl VAT
R476.00

L6011 - Crimping tool for pre-insulated terminals with built-in wire stripper and screw cutter & ignition terminals

Crimping Range:	0.5mm ² - 6mm ²
Length:	203mm
Weight:	0.28kg
AWG:	22-10



excl VAT
R73.00

YYT-1 - Ratchet crimping tool for pre-insulated terminals

Crimping Range:	0.5mm ² - 6mm ²
Length:	254mm
Weight:	0.603kg
AWG:	20-11



Features:

- Pressure Adjustment
- Ratchet release



excl VAT
R779.00

YAC-5 - Ratchet crimping tool for bootlace ferrules (end sleeves)

Crimping Range:	0.5mm ² - 6mm ²
Length:	200mm
Weight:	0.4kg
AWG:	12-4



excl VAT
R1 027.00

AP-26TW - Ratchet energy saving crimping tool for double bootlace ferrules (end sleeves)

Crimping Range:	2 x 0.5mm ² - 2 x 6mm ²
Length:	250mm
Weight:	0.73kg
AWG:	2 x 20-10



excl VAT
R382.00

HSC8 6-4 - Ratchet square crimping tool for bootlace ferrules (end sleeves)

Crimping Range:	0.25mm ² - 6mm ²
Length:	175mm
Weight:	0.38kg
AWG:	23-11



excl VAT
R437.00

HSC8 6-6 - Ratchet hexagonal crimp crimping tool for bootlace ferrules (end sleeves)

Crimping Range:	0.25mm ² - 6mm ²
Length:	175mm
Weight:	0.38kg
AWG:	23-10



excl VAT
R756.00

YAC-6 - Ratchet crimping tool for bootlace ferrules (end sleeves)



excl VAT
R899.00

YAC-9 - Hexagonal ratchet crimping tool for bootlace ferrules (end sleeves)

Crimping Range:	0.08mm ² - 6mm ²
Length:	170mm
Weight:	0.38kg
AWG:	28-10



excl VAT
R1 242.00

HSC8 16-4 - Ratchet square crimp crimping tool for bootlace ferrules (end sleeves)

Crimping Range:	4mm ² - 16mm ²
Length:	210mm
Weight:	0.52kg
AWG:	12-6



excl VAT
R693.00

YAC-8 - Square ratchet crimping tool for bootlace ferrules (end sleeves)

Crimping Range:	0.08mm ² - 6mm ²
Length:	175mm
Weight:	038kg
AWG:	28-10



excl VAT
R1 154.00

YYT-22 - Spring operated crimping tool for bootlace ferrules (end sleeves)

Crimping Range:	0.5mm ² - 2.5mm ²
Length:	150mm
Weight:	0.18kg
AWG:	24-14



excl VAT
R454.00

HS-03B - Ratchet crimping tool for brass roll-in terminals (open barrel terminals)

Crimping Range:	1.5mm ² - 6mm ²
Length:	230mm
Weight:	0.6kg
AWG:	28-15



excl VAT
R375.00

VH1-06WF - Mini ratchet crimping tool for bootlace ferrules (end sleeves)



excl VAT
R658.00

HEXB-16 - Ratchet indent crimping tool for copper lugs and ferrules

Crimping Range:	1.5mm ² - 16mm ²
Length:	330mm
Weight:	0.66kg



excl VAT
R637.00

L6202 - Crimping tool for brass roll-in (open barrel terminals)

Crimping Range:	0.8mm ² - 2.5mm ²
Length:	170mm
Weight:	0.22kg
AWG:	28-15



excl VAT
R262.00

Features:

- Suitable for crimping non-insulated connector
- Carbon steel with hardened and tempered jaws ensures accurate crimp
- Perfect handle gripping position and structure guarantee high crimping quality

AP-101 - Ratchet energy saving crimping tool for copper lugs and ferrules

Crimping Range:	0.5mm ² - 10mm ²
Length:	250mm
Weight:	0.60kg



excl VAT
R480.00

excl VAT
R820.00

YYT-11 - Ratchet crimping tool for brass roll-in terminals (open barrel terminals)



excl VAT
R942.00

HS-16 - Ratchet indent crimping tool for copper lugs and ferrules

Crimping Range:	1.25mm ² - 16mm ²
Length:	270mm
Weight:	0.70kg



excl VAT
R372.00

HS-22 - Ratchet indent crimping tool for copper lugs and ferrules

Crimping Range:	5.5mm ² - 25mm ²
Length:	360mm
Weight:	0.84kg



HX-120B - Hexagonal tool with moveable and revolving dies

Crimping Range:	10mm ² - 120mm ²
Length:	620mm
Weight:	4.0kg



Features:

- Easy operation: press to rotate the inside dies
- Has an anti-slip handle for a safe application for heavy crimping works
- Used for non-welding and standard electrical connection
- Made of hardened steel, long life, accurate bore diameter and good crimping effect

excl VAT
R1 960.00

HS-38 - Ratchet indent crimping tool for copper lugs and ferrules



excl VAT
R723.00

Crimping Range:	6mm ² - 38mm ²
Length:	354mm
Weight:	0.86kg

Features:

- Ratchet Release
- Pressure Adjustment

Features:

- Ergonomic handle design and providing a comfortable grip, more convenient operation.
- Labor-saving ratchet device, easy operation, clear crimping effects.
- The small size, simple operation and lock-controlled switch ensure durability and good performance.

Features:

- Easy operation: press to rotate the inside dies
- Has an anti-slip handle for a safe application for heavy crimping works
- Used for non-welding and standard electrical connection
- Made of hardened steel, long life, accurate bore diameter and good crimping effect

excl VAT
R863.00

HX-50B - Hexagonal tool with moveable and revolving dies

Crimping Range:	6mm ² - 50mm ²
Length:	390mm
Weight:	1.72kg



HX16 - Ratchet hexagonal crimping tool for copper lugs and ferrules



excl VAT R839.00

Crimping Range:	6mm ² - 16mm ²
Length:	270mm
Weight:	0.52kg


L6095YO - Indent crimping tool for copper lugs and ferrules



excl VAT R2 584.00

Crimping Range:	10mm ² - 120mm ²
Length:	570mm
Weight:	3.12kg

HX-150B - Hexagonal tool with moveable and revolving dies



Crimping Range:	25mm ² - 150mm ²
Length:	620mm
Weight:	4.0kg

Features:

- Easy operation: press to rotate the inside dies
- Has an anti-slip handle for a safe application for heavy crimping works
- Used for non-welding and standard electrical connection
- Made of hardened steel, long life, accurate bore diameter and good crimping effect

HS-12 - Oval terminal crimper



excl VAT R278.00

Crimping Range:	0.5mm ² - 6mm ²
Length:	254mm
Weight:	0.600kg
AWG:	20-11

YAC-3 - Co-Axial hex crimping tool



excl VAT R809.00

Crimping Range:	1.72mm ² - 8.2mm ²
Length:	240mm
Weight:	0.52kg

YAC-13 - Molex type terminal crimping tool (2.54/3.96)



excl VAT R721.00

Crimping Range:	0.08mm ² - 0.8mm ²
Length:	175mm
Weight:	0.42kg
AWG:	28-18


YYT8 - Ratchet crimping tool for copper lugs and ferrules



excl VAT R1 808.00

Crimping Range:	1.5mm ² - 10mm ²
Length:	262mm
Weight:	0.58kg

HT-86 - Ratchet modular crimping tool



excl VAT R237.00

Crimping Range:	RJ11/12, FJ45
Length:	190mm
Weight:	0.28kg

TC14402 - Ratchet crimping tool. For four mandrel turned contact. Deutsch type terminal crimper



excl VAT R823.00

Crimping Range:	0.5mm ² - 1.5mm ²
Length:	165mm
Weight:	0.28kg
AWG:	22-16

HP-240 - Hydraulic crimping tool (hand-held)



excl VAT R1 144.00

Crimping Range:	16mm ² - 240mm ²
Length:	480mm
Output:	12 Tons
Weight:	3.8kg
RAM Stroke:	18mm
Dies Included:	16mm, 25mm, 35mm, 50mm, 70mm, 95mm, 120mm, 150mm, 185mm, 240mm

HP-240F - Hydraulic crimping tool (hand-held)



excl VAT R6 159.00

Crimping Range:	16mm ² - 240mm ²
Length:	380mm
Output:	5 Tons
Weight:	3kg
RAM Stroke:	15mm
Dies Included:	16mm, 25mm, 35mm, 50mm, 70mm, 95mm, 120mm, 150mm, 185mm, 240mm

HP-300 - Hydraulic crimping tool (hand-held)



excl VAT R1 226.00

Crimping Range:	16mm ² - 300mm ²
Length:	480mm
Output:	12 Tons
Weight:	3.9kg
RAM Stroke:	18mm
Dies Included:	16mm, 25mm, 35mm, 50mm, 70mm, 95mm, 120mm, 150mm, 185mm, 240mm, 300mm

MAP-8A - Inline hydraulic hole punch 360° adjustable for punching holes in electrical switchboards and panels



excl VAT R4 810.00

Max Thickness:	Mild Steel: 3.2mm ² Staninless steel: 1.6mm ²
Punching Force:	16 Tons
Dies Included:	21.8mm, 22.6mm, 54.4mm, 42.7mm, 48.7mm, 60.2mm

Notes:

- Includes plastic carry case
- It contain hydraulic punch driver.
- With straight head, compact and easy carrying.
- 360 degree head design for flexible operation in place.

0-84-002 - VDE combination plier - 200mm



excl VAT R1 093.00

0-84-004 - VDE Diagonal plier - 195mm



excl VAT R902.00

0-84-007 - VDE long nose pliers - 210mm



excl VAT R1 031.00

Features:

- Safe live line working to 1,000v
- 1000V rated handle
- Bi-material handle with secure grip grooving
- Heat treated high chrome steel forging for long life and durability
- Hand ground, induction hardened blade for long life and accuracy
- Interlocking joint assembly for smooth cutting
- Individually tested to 10,000v
 - Compliant to EN60900, IEC/CEI900, VDE0680

Features:

- Safe live line working to 1,000v
- 1000V rated handle
- Bi-material handle with secure grip grooving
- Heat treated high chrome steel forging for long life and durability
- Hand ground, induction hardened blade for long life and accuracy
- Interlocking joint assembly for smooth cutting
- Individually tested to 10,000v
- Compliant to EN60900, IEC/CEI900, VDE0683

Features:

- Bi-material handle with secure grip grooving
- Hand ground, induction hardened blade for long life and accuracy
- Heat treated high chrome steel forging for long life and durability
- Individually tested to 10,000v
- Interlocking joint assembly for smooth cutting


SDP2 - 9 Piece delux precision screwdriver set



excl VAT R76.00

Slotted:	1.5 x 50mm; 2.0 x 50mm
Phillips:	PH00 x 50mm; PH0 x 50mm
Torx:	T10 x 50mm; T9 x 50mm; T8 x 50mm; T6 x 50mm; T5 x 50mm

SDE7 - 7 Piece "Tyre-Grip" handle 1000V screwdriver set




excl VAT R222.00

Slotted:	3.0 x 75mm; 4.0 x 100mm; 5.5 x 125mm
Phillips:	PH0 x 60mm; PH1 x 5mm; PH2 x 100mm
Neon Tester	

Features:

- 1000V certification
- Superior slip resistant "Tyre-Grip" handle
- Cr-V material 54 ~ 58HRC
- Black magnetic tip
- 23% Strength saving

SDE6 - 6 Piece "Tyre-Grip" handle 1000V screwdriver set



excl VAT R195.00

Slotted:	3.0mm x 75mm
Phillips:	PH2 x 100mm

Features:

- Superior slip resistant "Tyre-Grip" handle
- Premium Quality Cr-V Blade
- 54-58 HRC
- Black magnetic tip
- 23% strength saving

SDP10 - 10 Piece professional precision screwdriver



Slotted:	1.4mm; 2.0mm; 3.0mm
Phillips:	PH0; PH00; PH000
Torx:	T4; T5; T6; T8

Features:

- Comfortable handle with rotary base
- Convenient storage case with rotatable hanger
- Premium quality Cr-V material 54 ~ 58 HRC and rotary cap

SDMPH2300 - "Type-Grip" engineering screwdriver



excl VAT R39.00

Phillips:	PH2 x 300mm Long
-----------	------------------

Features:

- Long blade length ideal for reaching deeply inset screw
- Cr-V material 54-58 HRC

SDVT2 - Neon voltage tester



excl VAT R11.00

Features:

- CE Approved
- Cr-V material 54-58 HRC
- Neon lamp testing more than 30 000 times
- Length: 4mm x 190mm
- 100-500 V AC
- Quality insulation AS body

Promotion runs from 1 April till 30 June 2025 or while stocks last. E & OE. All prices exclude VAT

SDM8 - 8 Piece "Tyre-Grip" engineering screwdriver set



excl VAT
R196.00

Slotted:	3.0 x 150mm; 5.0 x 100mm; 6.5 x 100mm
Phillips:	PH1; PH2
	PZ1; PZ2

Features:

- Slip resistant "Tyre-Grip" handle
- Premium Quality SVCM blade 58-61 HRC
- Strong magnetic black tip
- 23% Strength saving

SDD2 - 2 Piece demolition screwdriver set



excl VAT
R139.00

Slotted:	8 x 200mm
Phillips:	PH2 x 200mm

Features:

- Steel core transfers strike force from strike cap to tip
- Slip resistant design handle
- 100% oil resistant

TOR101 - 380LM - 380 Lumen high brightness LED torch (3 x AAA Batteries included)



excl VAT
R361.00

Features:

- CREE XP - G2 S2 LD up to 50000 hours lifetime
- Tail on/off switch with 10000 cycle lifetime
- IPX4 water resistant and impact resistant lens
- Aircraft aluminium body, drop resistant with type II anodizing finish to protect surface
- Size: 138mm x 36mm x 45mm
- Weight: 210g (excl batteries)
- Mode: LOW / MIDDLE / HIGH / MAX / STROBE / SOS
- Output: 35 / 75 / 170 / 380 / 380 / 380 LM
- Run Time: 60H / 30H / 10H / 9.5h

SDSBS35 - 35 Piece stubby "Tyre-Grip" screwdriver bit



excl VAT
R127.00

Torx:	T4; T5; T6; T7; T8; T9; T10; T15; T20; T25; T30
Phillips:	PH0; PH1; PH2; PH3
Slotted:	3.0; 4.0; 5.0; 6.0
Y:	1; 2; 3
	S1; S2
U:	2; 4; 6
Hex:	H2.; H2.5; H3.0; H4.0; H5.0; H6.0

Features:

- CREE XP - G2 S2 up to 50000 hours lifetime
- Tail on/off switch with 10000 cycle lifetime
- IPX4 water resistant and impact resistant lens
- Aircraft aluminium body, drop resistant with type II anodizing finish to protect surface
- Size: 165mm x 23mm x 35mm
- Weight: 155g (excl batteries)
- Mode: HIGH / LOW / SOS
- Output: 35 / 75 / 170 / 380 LM
- Run Time: 2.5H / 5h

FSE-MC4 - MC4 Crimping Tool



excl VAT
R277.00

Crimping Range:	2.5mm ² ~ 6mm ²
Length:	220mm
Weight:	0.49
AWG	13~10

LY205 - Strain relief bushing, insertion and extraction pliers



excl VAT
R119.00

Length:	180mm
Weight:	0.14kg

Features:

- 1000V certification
- Superior slip resistant "Tyre-Grip" handle
- Cr-V material 54 ~ 58HRC
- Black magnetic tip
- 23% Strength saving

RG1000 - Stainless steel strapping tool with built-in cutter

Strapping size:	9mm - 19mm
Thickness:	0.90 maximum
Length:	250mm
Weight:	1.82kg



excl VAT
R1 750.00

A-2546B - MC4 Crimping Tool



excl VAT
R609.00

Crimping Range:	2.5mm ² ~ 6mm ²
Length:	270mm
Weight:	0.74
AWG	13~10

TCB160E - 1000V 160mm Combination Pliers



excl VAT
R116.00

Features:

- Size: 160mm
- Safe live line working up to 1000V
- 1000V rated handle
- Interlocking joint assembly for smooth cutting
- Bi-material handle with secure grip

TSC160E - 1000V 160mm Side Cutters Pliers



excl VAT
R116.00

Features:

- Size: 160mm
- Safe live line working up to 1000V
- 1000V rated handle
- Interlocking joint assembly for smooth cutting
- Bi-material handle with secure grip

TSC200E - 200mm Side Cutters Pliers



excl VAT
R136.00

Features:

- Size: 200mm
- Close fit machined jaws for efficient cutting
- Easy grip, non slip handle
- Brushed steel finish

TLN160E - 1000V 160mm Long Nose Pliers



excl VAT
R116.00

Features:

- Size: 160mm
- Safe live line working up to 1000V
- 1000V rated handle
- Interlocking joint assembly for smooth cutting
- Bi-material handle with secure grip

TLN200E - 1000V 200mm Long Nose Pliers



excl VAT
R136.00

Features:

- Size: 200mm
- Safe live line working up to 1000V
- 1000V rated handle
- Interlocking joint assembly for smooth cutting
- Bi-material handle with secure grip

TCB200E - 1000V 200mm Combination Pliers



excl VAT
R136.00

Features:

- Size: 200mm
- Close fit machined jaws for efficient cutting
- Easy grip, non slip handle
- Brushed steel finish
- Safe live line working up to 1000V
- Bi-material handle with secure grip

TCB200 - 200mm Combination Pliers



excl VAT
R86.00

Features:

- Size: 200mm
- Close fit machined jaws for efficient cutting
- Brushed steel finish
- Easy grip, non slip handle
- Two-position, adjustable joint pliers used for grasping and turning

TSC200 - 200mm Side Cutters Pliers



excl VAT
R86.00

Features:

- Size: 200mm
- Close fit machined jaws for efficient cutting
- Brushed steel finish
- Easy grip, non slip handle

TLN200 - 200mm Long Nose Pliers



excl VAT
R86.00

Features:

- Size: 200mm
- Close fit machined jaws for efficient cutting
- Brushed steel finish
- Easy grip, non slip handle

TCB160 - 160mm Combination Pliers




excl VAT
R65.00

Features:

- Size: 160mm
- Close fit machined jaws for efficient cutting
- Brushed steel finish
- Easy grip, non slip handle
- Two-position, adjustable joint pliers used for grasping and turning

TSC160 - 160mm Side Cutters Pliers



excl VAT
R65.00

Features:

- Size: 160mm
- Close fit machined jaws for efficient cutting
- Brushed steel finish
- Easy grip, non slip handle

TLN160 - 160mm Long Nose Pliers



excl VAT
R65.00

Features:

- Size: 160mm
- Close fit machined jaws for efficient cutting
- Brushed steel finish
- Easy grip, non slip handle

Promotion runs from 1 April till 30 June 2025 or while stocks last. E & OE. All prices exclude VAT

Johannesburg
Tel: +27 11 392 3804

Durban
Tel: +27 31 263 7800

Cape Town
Tel: +27 21 552 5242

Email: sales@three-d.co.za

Website: www.three-d.co.za

