

WHILE STOCKS LAST. E & OE

START STRONG

Quarterly Special

2026

1 JAN - 31 MAR

CABLE MANAGEMENT



100 PCS

Cable Ties PA 66

THR-2.5X100	2.5 x 100mm	R10.47 R9.10 excl VAT
THR-3.5X140	3.5 x 140mm	R24.46 R21.27 excl VAT
THR-4.5X200	4.5 x 200mm	R45.41 R39.49 excl VAT
THR-4.5X300	4.5 x 300mm	R71.96 R62.57 excl VAT
THR-4.5X360	4.5 x 360mm	R86.63 R75.33 excl VAT
THR-7.5X280	7.5 x 280mm	R132.74 R115.43 excl VAT
THR-7.5X360	7.5 x 360mm	R174.66 R151.66 excl VAT



EXTRA STRENGTH

100 PCS

M.E.T. Nylon Cable Ties with Stainless Steel Tooth

MET.2.2102	100 x 2.5mm White	R23.33 R20.29 excl VAT
MET.3.2102	100 x 2.5mm Black	R53.99 R46.95 excl VAT
MET.3.2105	200 x 2.5mm Black	R54.34 R47.25 excl VAT
MET.3.2111	200 x 3.5mm Black	R61.44 R53.43 excl VAT
MET.3.2112	280 x 3.5mm Black	R69.29 R60.25 excl VAT
MET.2.2140	290 x 4.5mm White	R115.60 R100.52 excl VAT
MET.3.2126	360 x 4.5mm White	R117.36 R102.05 excl VAT



100 PCS

Push-In Re-Usable Connectors

THR62-2	2 Port 0.2 - 4mm ² wire	R347.65 R302.30 excl VAT
THR62-3	3 Port 0.2 - 4mm ² wire	R447.73 R389.33 excl VAT
THR62-5	5 Port 0.2 - 4mm ² wire	R653.22 R568.01 excl VAT



100 PCS

Push-In Connectors

THR35-2	2 Port 1 - 2.5mm ² wire	R191.51 R166.53 excl VAT
THR53-3	3 Port 1 - 2.5mm ² wire	R232.20 R202.91 excl VAT
THR35-4	4 Port 1 - 2.5mm ² wire	R248.23 R215.85 excl VAT
THR35-6	6 Port 1 - 2.5mm ² wire	R329.64 R286.64 excl VAT



Heat Shrink End Caps

GEC001 12/4 4-8mm Cable Range R7.89 R6.88 excl VAT	GEC101 20/7.5 6-12mm Cable Range R11.15 R9.69 excl VAT	GEC102 30/11 9-17mm Cable Range R26.31 R22.88 excl VAT
GEC201 40/15 18-30mm Cable Range R41.70 R36.28 excl VAT	GEC301 55/25 31-45mm Cable Range R48.10 R41.92 excl VAT	GEC401 75/35 45-60mm Cable Range R72.61 R63.14 excl VAT
	GEC501 100/45 61-82mm Cable Range R85.23 R74.11 excl VAT	



Flat Pin Lugs

10FP 10mm ² R3.11 R2.70 excl VAT	16FP 16mm ² R5.83 R5.07 excl VAT	25FP 25mm ² R15.73 R13.88 excl VAT
35FP 35mm ² R17.10 R14.97 excl VAT	50FP 50mm ² R24.55 R21.35 excl VAT	70FP 70mm ² R30.43 R26.46 excl VAT



Ferrules

F 1.5 1.5mm ² R1.20 R1.05 excl VAT	F 2.5 2.5mm ² R1.16 R1.01 excl VAT	F 4 4mm ² R1.64 R1.43 excl VAT
F 6 6mm ² R1.62 R1.41 excl VAT	F 10 10mm ² R2.61 R2.27 excl VAT	F 16 16mm ² R2.91 R2.53 excl VAT

POWER TOOLS

Makita

Impact Drill



M8100B

13mm
Gear Chuck
710W

R1792.77
R1558.92 excl VAT

Angle Grinder



M9507B

115mm Disc
11000r/min
720W

R1209.56
R1051.79 excl VAT



**SCAN
THE CODE**

**TO GO TO OUR
WEBSITE**

THREE-D
AGENCIES
THE CABLE ACCESSORY COMPANY

START STRONG

Quarterly Special

1 JANUARY - 31 MARCH 2026

PRE-INSULATED CRIMPERS

Ratchet Crimping Tool

AP-03C
Crimping Range:
0.5 - 6mm²
R547.40
R476.00 excl VAT



Ratchet Crimping Tool

AP-30J
Crimping Range:
1 - 6mm²
R508.30
R442.00 excl VAT



Ratchet Crimping Tool

YYT-1
Crimping Range:
0.5 - 6mm²
R895.85
R779.00 excl VAT




Non-Ratchet Crimping Tool

L6011
Crimping Range:
0.5 - 6mm²
R83.95
R73.00 excl VAT



Ratchet Crimping Tool for Brass Roll-In Terminal (Open Barrel Terminals)

HS-03B
Crimping Range:
1.5 - 6mm²
R431.25
R375.00 excl VAT



CRIMPING / CUTTING TOOLS

Crimping / Cutting Tool

CRMP
Size:
240mm
R218.50
R190.00 excl VAT



MC4 Crimping Tool

A-2546B
Size:
270mm
R700.35
R609.00 excl VAT



TURNED TERMINAL CRIMPER

Ratchet 4-Way Crimping Tool for Turned Terminals (Deutsch Terminals)

TC14402
Crimping Range:
0.5 - 1.5mm²
R946.45
R823.00 excl VAT



END-SLEEVE CRIMPERS

Rachet Square Crimping Tool for Bootlace Ferrules



HSC8 6-4
Crimping Range:
0.25 - 6mm²
R502.55
R437.00 excl VAT

Rachet Hexagonal Crimp Crimping Tool for Bootlace Ferrules



HSC8 6-6
Crimping Range:
0.25 - 6mm²
R747.50
R650.00 excl VAT

Rachet Square Crimp Crimping Tool for Bootlace Ferrules



HSC8 16-4
Crimping Range:
4 - 6mm²
R796.95
R693.00 excl VAT

Hexagonal Ratchet Crimping Tool for Bootlace Ferrules



YAC-9
Crimping Range:
0.08 - 6mm²
R1428.30
R1242.00 excl VAT

COPPER CRIMPERS

Ratchet Indent Crimping Tool For Copper Lugs & Ferrules



HEXB-16
Crimping Range:
1.5 - 16mm²
R626.75
R545.00 excl VAT

Ratchet Indent Crimping Tool For Copper Lugs & Ferrules



HS-38
Crimping Range:
1.5 - 16mm²
R746.35
R649.00 excl VAT

Hexagonal Ratchet Crimping Tool For Copper Lugs & Ferrules



HX-16
Crimping Range:
6 - 16mm²
R964.85
R839.00 excl VAT

Ratchet Indent Crimping Tool For Copper Lugs & Ferrules



HS-22
Crimping Range:
5.5 - 25mm²
Length:
360mm
Weight:
0.84kg
R803.85
R699.00 excl VAT

HYDRAULIC CRIMPING TOOL

HP-240

Crimping Range: 16 - 240mm²
Output: 12 Tons
Accessories: Case & Dies
Dies Include (mm): 16, 25, 35, 50, 70, 95, 120, 150, 185, 240

R1316.60
R1144.00 excl VAT

HP-300


16 - 300mm²
12 Tons
Case & Dies
16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300

R1409.90
R1226.00 excl VAT

HP-400

16 - 400mm²
12 Tons
Case & Dies
16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400

R1702.00
R1480.00 excl VAT



CUTTERS

- Not Suitable for cutting steel wire, armoured cable and steel rope

Cable and Wire Cutter for CU/AL

LK-22A

Cutting Range: Up to 25mm²
R158.85
R138.13 excl VAT

LK-38A

Cutting Range: Up to 35mm²
R190.90
R166.00 excl VAT

LK-60A

Cutting Range: Up to 60mm²
R207.00
R180.00 excl VAT



Cable and Wire Cutter for CU/AL

HS-95A

Cutting Range: Up to 70mm²
R311.65
R271.00 excl VAT



Ratchet Cable Core Cutter for CU/AL

HS-325A

Cutting Range: Up to 240mm²
R1148.85
R999.00 excl VAT



HYDROLIC HOLE PUNCH

Inline Hydraulic Hole Punch

MAP-8A

Max Thickness:
Mild Steel: 3.2mm²
Stainless Steel: 1.6mm²

Punching Force:
1 Ton

Dies Included:
21.8mm, 22.6mm, 54.1mm, 42.7mm, 48.7mm, 60.2mm

R5531.50
R4810.00 excl VAT



STRAPPING TOOL

Stainless Steel Strapping Tool With Built-In Cutter

RG1000

Strapping Size:
9mm - 19mm

R2012.50
R1750.00 excl VAT



CABLE TIE GUN

Stainless Steel Cable Tie Gun

Suitable for self locking stainless steel cable ties
Easy cut off process
Light weight

D92134B

Cable Tie widths:
Up to 7.9mm

R2482.85
R2159.00 excl VAT



FOLLOW US ON
SOCIAL MEDIA



FACEBOOK



LINKEDIN

20
26

SCREWDRIVERS

6
PCS

"Tyre-Grip" handle 1000V
screwdriver set



INSULATED

SDE6

R224.²⁵

R195.⁰⁰ excl VAT

Slotted: 3 x 75mm
Phillips: PH2 x 100mm

7
PCS

"Tyre-Grip" handle 1000V
screwdriver set



INSULATED

SDE7

R255.³⁰

R222.⁰⁰ excl VAT

Slotted: 3 x 75mm, 4 x 100mm
Phillips: PH2 x 100mm, PH0 x 60mm
PH1 x 5mm, PH2 x 100mm
Neon Tester

35
PCS

35 Piece Multi-Bit
Stubby Screwdriver set



SDSBS35

R146.⁰⁵

R127.⁰⁰ excl VAT

- T4,T5,T6,T7,T8,T9,T10,T15,
T20,T25,T30
- PH0,PH1,PH2,PH3
- 3.0, 4.0, 5.0, 6.0, 1, 2, 3, S1,
S2, 2, 4, 6, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0

GAS SOLDERING IRONS & KITS

Soldering Iron

Soldering Iron

Soldering Iron Kit

Soldering Iron Kit



TDSOL640

22ml | Butane

R631.⁰¹

R548.⁷⁰ excl VAT

TDSOL665

7.5ml | Butane

R850.⁹⁷

R739.⁹⁷ excl VAT

TDSOL645KB

Soldering | Torch |
Heatgun

R829.³¹

R721.¹⁴ excl VAT



TDSOL665KB

Soldering | Torch |
Heatgun

R1139.⁴²

R990.⁰⁰ excl VAT



TOOLKITS & BAG

Toolkit

Toolkit

Toolkit

Toolbag



15
PCS

16
PCS

16
PCS

MAXMINI1

30 x 18cm

R1451.³⁰

R1262.⁰⁰ excl VAT

MAXELEC

38 x 24cm

R1871.⁰⁵

R1627.⁰⁰ excl VAT

MAXPRO

38 x 24cm

R1696.⁰⁸

R1400.⁷⁰ excl VAT

MAXBP

46 x 16 x 37cm

R1400.⁷⁰


R1218.⁰⁰ excl VAT

KITS

Pre-Insulated Automotive
Terminal Kit

Pre-Insulated Terminal Kit

Pre-Insulated Terminal Kit



TDAPIKL

R759.⁰⁰

R660.⁰⁰ excl VAT

IES KIT

R312.⁸⁰

R272.⁰⁰ excl VAT

TDEPIKS

R155.²⁵

R135.⁰⁰ excl VAT

170
PCS

Heatshrink Tubing
Kit - Colour

HSK170

R113.⁸⁵

R99.⁰⁰ excl VAT

230
PCS

Heatshrink Tubing
Kit - Black

HSK230

R103.⁵⁰

R90.⁰⁰ excl VAT

PLIERS

Insulated Pliers with Crimper

230mm

TCP230EC

Crimping Range:
0.5 - 6mm²

R224.²⁵

R195.⁰⁰ excl VAT




Insulated Combination Pliers

160mm

TCB160E

R133.⁴⁰

R116.⁰⁰ excl VAT



200mm

TCB200E

R156.⁴⁰

R136.⁰⁰ excl VAT



Insulated Long Nose Pliers

160mm

TLN160E

R133.⁴⁰

R116.⁰⁰ excl VAT



200mm

TLN200E

R156.⁴⁰

R136.⁰⁰ excl VAT



Un-insulated Combination Pliers

160mm

TCB160

R74.⁷⁵

R65.⁰⁰ excl VAT



200mm

TCB200

R98.⁹⁰

R000.⁰⁰ excl VAT



Un-Insulated Long Nose Pliers

160mm

TLN160

R74.⁷⁵

R65.⁰⁰ excl VAT



200mm

TLN200

R98.⁹⁰

R000.⁰⁰ excl VAT



SIDE CUTTERS

Insulated Side Cutters

160mm

TSC160E

R133.⁴⁰

R116.⁰⁰ excl VAT



200mm

TSC200E

R156.⁴⁰

R136.⁰⁰ excl VAT



Un-insulated Side Cutters

160mm

TSC160

R74.⁷⁵

R65.⁰⁰ excl VAT



200mm

TSC200

R98.⁹⁰

R000.⁰⁰ excl VAT



WIRE STRIPPERS

Auto-adjustable duck-mouth wire stripper and cutter

HS-700D

Stripping mm²:
0.25 - 6mm²

R173.⁶⁵

R151.⁰⁰ excl VAT



START STRONG QUARTERLY SPECIAL | VALID 1 JAN - 31 MAR 2026 OR WHILE STOCKS LAST. E & OE

THREE-D
AGENCIES
THE CABLE ACCESSORY COMPANY

CLAMP METERS

UT200B+

- AC Current: 600A
- DC Voltage: 600 V
- AC Voltage: 600V
- Frequency: 10H ~ 10kHz
- Resistance: 30kΩ
- Capacitance: 300μF
- Auto Range
- Jaw Capacity 28mm
- Diode
- Continuity Buzzer
- Low Battery Indication
- Data Hold
- LCD Backlight
- Flashlight
- High Voltage Warning
- 3099 Display Count



R622.¹⁵
R541.⁰⁰ excl VAT

UT201+ 400A

- AC Current: 400A
- AC/DC Voltage: 600V
- Resistance: 40MΩ
- Display Size: 35 x 27mm
- Backlight
- NCV
- MAX/MIN
- Auto Ranging
- Data Hold
- Diode
- Continuity Test
- Low Voltage Indicator
- Jaw Capacity 28mm
- APO
- 4000 Display Count



R756.⁷⁰
R658.⁰⁰ excl VAT

UT203+ 400A

- AC/DC Current: 40/400A
- AC/DC Voltage: 600V
- Resistance: 40MΩ
- Capacitance: 10mF
- Frequency: 10MHz
- NCV
- Diode Test
- Continuity Buzzer
- Data Hold
- Low Battery Indication
- Jaw Capacity 28mm
- Relative Mode
- Display Size: 35 x 27mm
- 4000 Display Count
- Duty Cycle
- APO
- Backlight
- Auto Range
- MAX/MIN



R1557.¹⁰
R1354.⁰⁰ excl VAT

UT206A+

- AC Current: 1000A
- AC/DC Voltage: 1000V
- Resistance: 60MΩ
- Capacitance: 60mF
- Frequency: 45Hz ~ 1kHz
- Temperature: -40°C ~ 1000°C
- Jaw Capacity > 40mm
- Inrush Current: 1000A
- Auto Range
- NCV
- MAX/MIN/REL
- Continuity Buzzer
- Low Battery Indication
- 6000 Display Count
- Diode
- Data Hold
- LCD Backlight
- APO



R1509.³⁹
R1312.⁵¹ excl VAT

UT211B

- AC/DC Current: 60A
- AC/DC Voltage: 600V
- Resistance: 60MΩ
- Frequency: 60kHz
- Capacitance: 62mF
- Continuity Buzzer
- Resolution: 0.1mA
- Jaw Capacity 17mm
- NCV
- ZERO Mode
- Data Hold
- LCD Backlight
- APO
- V.F.C.
- Diode
- Low Battery Indication
- Input Protection
- Ideal for Solar Power Systems
- 6000 Display Count



R3633.²⁶
R3159.³⁶ excl VAT

UT208B

- AC/DC Current: 1000A
- AC/DC Voltage: 1000V
- Resistance: 60MΩ
- Capacitance: 60mF
- Frequency: 10Hz ~ 1MHz
- Temperature: -40°C ~ 1000°C
- Auto Range
- Jaw Capacity 42mm
- Diode
- Inrush Current
- Data Hold
- NCV
- MAX/MIN/REL
- LCD Backlight
- Flashlight
- Continuity Buzzer
- Low Battery Indication
- Overload Indication
- High Voltage Warning
- 6000 Display Count



R3240.⁵³
R2817.⁹⁵ excl VAT

UT256B

- AC/DC Current: 200A
- DC Voltage: 1000 V
- AC Voltage: 750V
- Resistance: 60MΩ
- Capacitance: 60mF
- Auto Ranging
- Diode
- Data Hold
- LCD Backlight
- APO
- Continuity Buzzer
- Input Protection
- Low Battery Indication
- Relative Mode
- 6000 Display Count
- NCV
- Zero Mode



R924.⁹⁸
R804.³³ excl VAT

MULTIMETERS

Palm Size Multimeter

UT33D+

- AC/DC Voltage: 600 V
- DC Current: 10A
- Resistance: 20MΩ
- NCV
- APO



R351.⁵⁷

R305.⁷¹ excl VAT

Pocket Size Household True RMS Multimeter

UT123D

- AC/DC Voltage: 600V
- AC/DC Current: 10A
- Resistance: 40MΩ
- Capacitance: 400μF
- Acousto-optic Indication
- Data Hold



R664.⁷⁰

R578.⁰⁰ excl VAT

True RMS Multimeter

UT60EU

- AC/DC Voltage: 1000 V
- AC/DC Current: 10A
- Resistance: 100MΩ
- Capacitance: 10mF
- Frequency: 99.99Hz ~ 9.999MHz
- Duty Cycle: 0.1~99.9%
- Temperature: -40°C ~ 1000°C



R803.⁸⁵

R699.⁰⁰ excl VAT

Pocket Size Multimeter

UT120B

- AC/DC Voltage: 600V
- Resistance: 40MΩ
- Capacitance: 100μF
- Frequency: 10MHz
- Duty Cycle
- Data Hold



R587.⁵⁹

R510.⁹⁵ excl VAT

Smart Digital Multimeter

UT122

- AC Voltage: 750V
- DC Voltage: 1000V
- Resistance: 60MΩ
- Capacitance: 99.99mF
- Frequency: 10Hz ~ 10MHz



R897.⁷⁸

R780.⁸⁸ excl VAT

True RMS Multimeter

UT61D+

- AC/DC Voltage: 1000 V
- AC/DC Current: 20A
- Resistance: 60MΩ
- Frequency: 10Hz ~ 10MHz
- Capacitance: 60mF
- Temperature: -40°C ~ 1000°C
- MAX/MIN



R1774.⁴⁵

R1543.⁰⁰ excl VAT

Pocket Size Multimeter

UT125C

- AC/DC Voltage: 600V
- AC/DC Current: 400mA
- Resistance: 40MΩ
- Frequency: 60kHz
- Capacitance: 100μF
- Diode



R700.³⁵

R609.⁰⁰ excl VAT

Smart Digital Multimeter

UT121A

- AC/DC Voltage: 600V
- Resistance: 10MΩ
- Temperature: -40°C ~ 1000°C
- Dual Display
- Auto Range
- NCV



R485.³⁰

R422.⁰⁰ excl VAT

TRMS Multimeter

UT89X

- AC/DC Voltage: 1000 V
- AC/DC Current: 20A
- Resistance: 60MΩ
- Capacitance: 100mF
- Frequency: 10MHz
- Continuity Buzzer
- Diode



R786.⁶⁸

R684.⁰⁷ excl VAT

TESTERS & METERS

Laser Distance Meter

LM70A

- Range: 70m
- Measurement Units: m/ft/in
- Min. Display Unit: 0.001m
- Measurement Basis: Front/Rear
- Accuracy: +/- 2mm
- Laser Class: 2
- Laser Type: 630 ~ 670nm, <1mW
- Single Measurement
- Continuous Measurement
- MAX/MIN/AREA



R986.⁷⁰

R858.⁰⁰ excl VAT

400° C Infrared Thermometer

UT300S

- Temperature: -32 ~ 400°C
- Accuracy +/- 2°C
- Distance To Spot Ratio: 12:1
- Response Time 500ms
- Emissivity 0.10 ~ 1.00 Adjustable
- Selection °C/°F
- Display Hold
- APO
- Low Battery Indication



R483.⁰⁰

R420.⁰⁰ excl VAT

200A TRMS Fork Meter

UT256A

- AC Current: 200A
- AC/DC Voltage: 1000V
- Resistance: 60MΩ
- Capacitance: 60mF
- Frequency: 10 ~ 10kHz
- Auto Range
- Data Hold
- NCV
- LCD Backlight



R1589.⁴⁵

R1382.¹³ excl VAT

5.5GΩ Insulation Resistance Tester

- Test Voltage 100/250/500/1000V
- Insulation Resistance (Ω) 5.5GΩ
- Short Circuit Current: <2mA
- AC Voltage (V) 750V
- Auto Range
- Low Battery Indication
- LCD Backlight
- Alarm Indication
- Alarm Buzzer
- High Voltage Indication
- Overload Indication
- Auto Discharge
- 10mΩ Internal Resistance Test
- 2000 Display Count



R1896.³⁵

R1649.⁰⁰ excl VAT

Compliance Tester Multi-Functional

- AC Voltage: 440V
- DC Voltage: 440V
- Insulation Test: 250/500/1000V
- Phase Rotation
- Prospective Short Circuit: 26kA
- RCD Test Current: 10/30/100/300/500mA
- Low Ohm Measurement
- Loop Impedance
- ELCB Test (Time & Sensitivity)
- APO
- LCD Backlight
- Low Battery Indication
- Phase Switch (RCD) 0 ~ 180°
- Data Logging



R14523.³⁵

R12629.⁰⁰ excl VAT

Earth Ground Tester

- Earth Resistance: 0 ~ 4000Ω
- AC Earth Voltage: 0 ~ 400V
- Manual Range
- APO
- Low Battery Indication
- Data Hold
- Data Storage 20
- LCD Backlight
- Full Icon Display
- Double Insulation Protection
- Contact Badness Indication
- Simple 2-Wire Testing
- Precision 3-Wire Testing
- Over-Range Display
- 4000 Display Count



R5635.⁰⁰

R4900.⁰⁰ excl VAT

Temperature Humidity Meter

- Temperature: -10 ~ 50°C
- Sampling Time: 10s
- Display of Temperature, Humidity and Time
- Dual Temperature Measurement
- Humidity: 20% ~ 95% RH
- External Temperature: -10°C ~ 50°C
- MAX/MIN
- Comfort Rating: Cold/Dry/Comfort
- Alarm Clock/Time Display
- 12/24 Hour Mode



R350.⁷⁵

R305.⁰⁰ excl VAT

JOHANNESBURG

Tel: +27 11 392 3804

DURBAN

Tel: +27 31 263 7800

CAPE TOWN

Tel: +27 21 552 5242