

»»» **OUR** 1 APR - 30 JUN 2026  
**BIGGEST**  
**SPECIAL YET**  
Q2 SAVINGS



**WIN A TRIP  
TO ITALY WITH**  SapiSelco

**BIG SAVINGS with**

LINI-T® *Makita* **HANDY LAD** **CAT** **WORX**



OUR

**BIGGEST**

LINE  
SPECIAL

**Insulation Testers**

**UT513A**

**5kV Insulation Resistance Tester**

Insulation Resistance up to 1000GΩ  
Analogue Bar Graph (30 Segments)  
600V AC/DC  
Data Logging 18  
Secondary Display  
Polarization Index (Pi)  
Dielectric Absorption (DAR)



**R8769.<sup>23</sup>**  
EX VAT  
**R1008.461 INCL VAT**

**UT503PV**

**PB Insulation Tester**

Insulation Test Voltage: 125V / 250V / 500V / 1000V  
DC Voltage: 5 ~ 1000V  
AC Voltage: 5 ~ 600V  
Rated Current: 1.0mA



**R7880.<sup>48</sup>**  
EX VAT  
**R9062.55 INCL VAT**

**UT501B**

**1kV Insulation Tester**

Insulation Test Voltage: 250V/500V/1000V  
Short Circuit Current: < 2mA  
Low Resistance: 0.01Ω ~ 200Ω  
AC Voltage: 600V  
DAR  
Auto Ranging  
LCD Backlight  
Low Battery Indication  
Alarm Buzzer  
PI



**R2207.<sup>03</sup>**  
EX VAT  
**R2538.08 INCL VAT**

**Clamp Meters**

**UT200A+**

**Digital Clamp Meter**

AC Current: 400A  
DC Voltage: 600 V  
AC Voltage: 600V  
Frequency: 10H ~ 10kHz  
Resistance: 30kΩ  
Auto Range  
Jaw Capacity 28mm  
Diode



**R526.<sup>38</sup>**  
EX VAT  
**R605.34 INCL VAT**

**UT202A+**

**Digital Clamp Meter**

AC Current: 600A  
AC/DC Voltage: 600 V  
Frequency: 10H ~ 10MHz  
Resistance: 60MΩ  
Duty Cycle  
Display Size: 35 x 27mm  
Backlight  
NCV



**R672.<sup>64</sup>**  
EX VAT  
**R773.54 INCL VAT**

**UT204+**

**600A TRMS Clamp Meter**

AC/DC Current: 600A  
AC/DC Voltage: 600 V  
Resistance: 60MΩ  
Frequency: 10MHz  
Capacitance: 60mF  
Temperature: -40°C ~ 1000°C  
Auto Range



**R1310.<sup>53</sup>**  
EX VAT  
**R1507.11 INCL VAT**

**UT2117R**

**TRMS Clamp Meter**

AC Current: 1000A  
AC/DC Voltage: 1000V  
Resistance: 40MΩ  
Capacitance: 6mF  
Frequency: 1MHz  
Auto Range  
Jaw Capacity >33mm  
Diode  
Data Hold  
APO



**R1063.<sup>32</sup>**  
EX VAT  
**R1222.82 INCL VAT**

**UT206B**

**TRMS Clamp Meter**

AC Current: 1000A  
AC/DC Voltage: 1000V  
Resistance: 60MΩ  
Capacitance: 60mF  
Frequency: 10Hz ~ 1MHz  
Temperature: -40°C ~ 1000°C  
Jaw Capacity 42mm  
Inrush Current: 1000A



**R1895.<sup>00</sup>**  
EX VAT  
**R2179.25 INCL VAT**

**UT222**

**2500A TRMS Clamp Meter**

AC/DC Current: 2500A  
AC/DC Voltage: 1000V  
Resistance: 60MΩ  
Capacitance: 60mF  
Frequency: 60MHz  
Temperature: -40°C ~ 1000°C  
Auto Range  
Jaw Capacity 63mm  
Data Hold



**R5266.<sup>65</sup>**  
EX VAT  
**R6056.65 INCL VAT**

**UT219DS**

**Professional TRMS Clamp Meter**

AC/DC Current: 600A  
AC/DC Voltage: 1000 V  
LoZ ACV: 600V  
Resistance: 60MΩ  
Capacitance: 60mF  
Frequency: 40MHz  
Temperature: 1000°C  
Motor 3 Phase Test  
80VAC ~ 600VAC  
LCD Backlight



**R4305.<sup>27</sup>**  
EX VAT  
**R4951.06 INCL VAT**

**UT219P**

**AC Digital Power Clamp Meter**

AC Current: 1000A  
AC Voltage: 1000 V  
Power (Single Phase): 1000KW  
Power (3 Phase & 3 Wires): 1732KW  
Power (3 Phase & 4 Wires): 3000KW  
Power Factor: -1 ~ 1



**R7067.<sup>10</sup>**  
EX VAT  
**R8127.17 INCL VAT**

**UT219PV**

**Professional AC/DC Digital Clamp Meter**

ACA/DCA Current: 999.9A  
ACV Voltage: 1500V  
DCV Voltage: 2500V  
DC mV Voltage: 999.9mV  
ACV: 999.9V  
ACA: 999.9A  
ACA Flex Clamp Sensor: 3000A  
Power DC: 2500kVA  
Frequency: 5.0Hz ~ 999.9Hz



**R6363.<sup>12</sup>**  
EX VAT  
**R7371.59 INCL VAT**

**Tester Accessories**

**UT-C02A**

**R198.<sup>00</sup>**  
EX VAT  
**R227.70 INCL VAT**

**Alligator Clips**

Through Hole Alligator Clip  
Length: 80mm  
Clip Opening: 36mm  
CAT Rating: CATIII 1000V,  
CAT IV 600V 10A  
Recommended Test Leads: UT-L13



**UT-C01**

**R61.<sup>14</sup>**  
EX VAT  
**R70.31 INCL VAT**

**Hook Type Test Clamp**

Rod Length: 6.2mm can extend to 7.5mm  
Safety Handle and Spr



**UT-L20**

**R93.<sup>77</sup>**  
EX VAT  
**R107.84 INCL VAT**

**Test Leads**

Cable Length: 900mm | Rod Length: 101mm  
Tip Length: 16.5mm  
CAT Rating: CAT I  
1000V / CAT II 600V 10A  
Recommended Alligator Clips: UT-C12  
Cross Plug with Shield Sleeve  
General Type Probes



**UT-L13**

**R207.<sup>95</sup>**  
EX VAT  
**R239.14 INCL VAT**

**Hook Type Test Clamp**

Cable Length: 900mm  
Standard Banana  
Interface: Ø4mm  
Body Length: 128mm  
Probe Length: 18mm  
CAT Rating: CATIII 1000V 10A  
Recommended Alligator Clips: UT-C02A / UT-C04A  
Double Insulation  
UL Authenticated



## Multimeters

### UT33C+

#### Palm Size Multimeter

AC/DC Voltage: 600 V  
DC Current: 10A  
Resistance: 20MΩ  
Temperature: 1000°C  
APO  
Diode  
Continuity Buzzer  
LCD Backlight



**R362.<sup>02</sup>**  
EX VAT  
**R416.32 INCL VAT**

### UT33A+

#### Palm Size Multimeter

AC/DC Voltage: 600 V  
AC/DC Current: 10A  
Resistance: 200MΩ  
Capacitance: 2mF  
APO  
Diode  
Continuity Buzzer  
LCD Backlight



**R457.<sup>59</sup>**  
EX VAT  
**R529.23 INCL VAT**

### UT123

#### Pocket Size Household Multimeter

AC/DC Voltage: 600V  
Resistance: 20MΩ  
Temperature: -40°C ~ 300°C  
Acousto-optic Indication  
Data Hold  
APO  
Continuity Buzzer  
Low Battery Indication



**R379.<sup>73</sup>**  
EX VAT  
**R436.69 INCL VAT**

### UT890C

#### Multimeter

DC Voltage: 1000 V  
AC Voltage: 750V  
AC/DC Current: 20A  
ACV Frequency: 10Hz ~ 10kHz  
Resistance: 60MΩ  
Frequency: 9.999MHz  
Capacitance: 100mF  
Temperature: 1000°C  
NCV  
MAX/MIN  
Diode



**R556.<sup>48</sup>**  
EX VAT  
**R639.95 INCL VAT**

### UT15B PRO

#### Professional TRMS IP65 Multimeter

AC/DC Voltage: 1000 V  
AC/DC Current: 10A  
Resistance: 60MΩ  
Capacitance: 60mF  
Auto Ranging  
Auto Backlight  
Flashlight  
Diode  
APO  
Continuity Buzzer



**R1768.<sup>08</sup>**  
EX VAT  
**R2033.29 INCL VAT**

### UT191T

#### Professional IP65 Multimeter

- AC/DC Voltage: 600 V
- AC/DC Current: 20A
- Resistance: 60MΩ
- Capacitance: 60mF
- Frequency: 10Hz ~ 1mHz
- LoZ ACV: 600V
- Temperature: 400°C
- Auto/Manual Ranging
- Segment Analog Bar
- Flashlight



**R1980.<sup>26</sup>**  
EX VAT  
**R2277.30 INCL VAT**

### UT107+

#### Automotive Multimeter

AC/DC Voltage: 1000 V  
AC/DC Current: 10A  
Resistance: 60MΩ  
Frequency: 10Hz ~ 10MHz  
Temperature: -40°C ~ 1000°C  
Capacitance: 100mF  
VFC: 1000V  
RPM: 2STR; 4STR  
Dwell Angle: 1CYL - 8CYL  
Pulse Width: 999.9mS  
Data Hold



**R915.<sup>62</sup>**  
EX VAT  
**R1052.96 INCL VAT**

### UT195E

#### Professional TRMS IP65 Multimeter

AC/DC Voltage: 1000V  
LoZ ACV: 600V  
AC/DC Current: 20A  
Resistance: 60MΩ  
Capacitance: 60mF  
Frequency: 10MHz  
Auto/Manual Ranging  
Duty Cycle  
Flashlight & Auto LCD Backlight  
Analogue Bar Graph



**R2968.<sup>30</sup>**  
EX VAT  
**R3413.55 INCL VAT**

### UT533

#### TRMS Insulation Resistance Multimeter

1000V AC/DC  
Capacitance 100μF  
Frequency 1MHz  
Temperature -40 ~ 537°C  
Resistance 40MΩ  
Short Circuit Current: < 2mA  
Diode Test  
Auto Range  
APO  
Data Logging 99



**R5311.<sup>32</sup>**  
EX VAT  
**R6108.02 INCL VAT**

## Tester Accessories

### THR-ELT

**R360.<sup>00</sup>**  
EX VAT  
**R414.00 INCL VAT**

#### Polarity Tester

AC Voltage: 230V CATII 300V  
Correct Light Indication  
Active/Neutral Reverse Indication  
Active/Earth Reverse Indication  
No Neutral Indication  
No Earth Indication  
No Active Indication  
ELCB Trip Test: 10-35mA



### UT586+

**R9159.<sup>40</sup>**  
EX VAT  
**R10533.31 INCL VAT**

#### Digital RCD Tester

For The Mines Test 550V  
RCD Test Function: 10 ~ 1000mA  
Voltage: 100V ~ 440V  
Voltage Test: 30 ~ 480V  
Voltage Test: L-PE & Frequency  
Wiring Check  
Phase Angle Selection  
Lock Test  
Auto Ramp Test  
Over-temperature Detection



### UT593

**R12699.<sup>00</sup>**  
EX VAT  
**R14603.85 INCL VAT**

#### Compliance Tester - Multi Functional

AC Voltage: 440V  
DC Voltage: 440V  
Insulation Test: 250/500/1000V  
Prospective Short Circuit: 26kA  
RCD Test Current: 10/30/  
100/300/500mA  
Phase Rotation  
Low Ohm Measurement  
Loop Impedance  
ELCB Test (Time & Sensitivity)  
APO



## Compliance Testers

### UT18E

#### Voltage And Continuity Tester

AC/DC Voltage Display (V)  
6V ~ 1000V  
Phase Rotation Test  
Continuity Test: Resistance  
0~100kΩ, Beeper LED Light  
Indicator  
RCD Test  
Self-inspection  
No Power Test  
Polarity Detection  
Auto Range

**R1221.91** EX VAT  
**R1405.20 INCL VAT**



### UT681L

#### Cable Tester RJ45/RJ11

Cable Tester for RJ45/RJ11  
Fast-speed Test Mode LED ~ LED18, LED\_G  
Slow-speed Test Mode LED ~ LED\*, LED\_G  
Test for Short Circuit,  
Crossover, Open Circuit etc  
Ethernet Cable -  
Shielded / Unshielded  
Manual Shutdown Function  
APO  
Single Key Operation  
9V Battery

**R261.90** EX VAT  
**R301.19 INCL VAT**



### UT673A

#### Battery Tester

12V Battery Test: 7 ~ 16V DC  
12V/24V Cranking System Test: 7 ~ 30V DC  
12V/24V Charging system test: 7 ~ 30V DC  
Battery Type: Ordinary Lead  
Acid Battery, AGM Flat Plate  
Battery, AGM Spiral Battery,  
GEL Battery, EFB Battery  
Battery Capacity: 3 ~ 250Ah  
Over Voltage Protection  
Reverse Connection Protection  
A Prompt For Poor Contact

**R1021.20** EX VAT  
**R1174.38 INCL VAT**



### UT312A

#### Vibration Tester

Acceleration (PEAK): 0.1m/s<sup>2</sup>  
Velocity: 0.1mm/s  
Displacement: 0.001 ~ 1.999mm  
Automatically rotatable screen  
High/low frequency acceleration  
Datahold  
Flashlight  
LCD Backlight  
APO  
Battery Indication  
USB C

**R8969.23** EX VAT  
**R10314.61 INCL VAT**



## Meters

### LM50A

#### Laser Distance Meter

Range: 50m  
Measurement Units: m/ft/in  
Min. Display Unit: 0.001m  
Measurement Basis: Front/Rear  
Accuracy: +/- 2mm  
Single Measurement  
Continuous Measurement  
MAX/MIN/AREA

**R660.76** EX VAT  
**R759.87 INCL VAT**



### UT261A

#### Phase Sequence & Motor Rotation Indicator

AC Voltage: 40V ~ 690V  
Frequency: 15Hz ~ 400Hz  
Working Current: < 1mA  
Phase Sequence  
Indication: LCD  
Missing Phase  
Indication: LCD  
No Batteries Required

**R1392.00** EX VAT  
**R1600.80 INCL VAT**



### UT383BT

#### Mini Light Meter

Illuminance Measurement (Lux):  
0 ~ 199,900 Lux  
Illuminance Measurement (FC):  
0 ~ 18,500FC  
Resolution: 1 Lux, 10Lux,  
100Lux, 1FC, 10FC  
Sampling Rate: 0.5/s  
APP  
Bluetooth  
Data Hold  
APO

**R742.42** EX VAT  
**R853.78 INCL VAT**



### UT353BT

#### Mini Sound Level Meter

Range: 30dB ~ 130dB  
Accuracy: +/- 1.5dB  
Frequency Response: 31.5Hz ~ 8kHz  
Resolution 0.1dB  
Sampling Rate: Fast:125ms, Slow:1000ms  
APP  
Bluetooth  
Data Hold  
APO  
MAX/MIN  
Low Battery Indication

**R681.00** EX VAT  
**R783.15 INCL VAT**



### UT256

#### AC/DC Fork Meter

AC Current: 60A  
NCV  
Data Hold  
Zero Mode  
LCD Backlight  
APO  
Audible and Visual Alarm  
Low Battery Indication  
Relative Mode

**R804.32** EX VAT  
**R924.97 INCL VAT**



### UT377C

#### Pinless Moisture Meter

Wood and Building Material  
Measurement: 4 - 99%  
Temperature Measurement:  
20°C - 70°C  
Sensor Size: 50 x 50mm  
Target Thickness Range: 6 - 30mm  
Screen Display: EBTN Colour  
Screen  
Simulation Bar Indicator  
Audible Alarm Indication  
Flashlight

**R1068.57** EX VAT  
**R1228.86 INCL VAT**



### UT673PV

#### Solar MPPT Meter

Max Power Measurement: 5~800W  
Max Power Current: 0 ~35A  
Max Power Voltage: 12 ~60V  
Open Circuit Current: 12 ~60V  
Short Curcuit Current: 0 ~35A  
Reverse Polarity Connect Protection  
Over Voltage Protection  
Over Current Protection  
Over Temperature Protection  
Over Power Protection  
Manual / Auto MPPT Test

**R1191.62** EX VAT  
**R1370.36 INCL VAT**



## Laser Levelers

### LM570LD-II

#### Laser Leveler

Laser Type: Green LD  
Laser Line: 2 Lines  
Operating Distance: 10m  
Laser Wavelength: 520nm  
Laser Class: 2  
Laser Accuracy: +/-3mm/10m  
Self-Leveling Range: +/- 3°  
Self-Leveling Time: < 3s  
Working Hours: > 4h



**R1142.<sup>00</sup>** EX VAT  
**R1313.30 INCL VAT**

### LM573LD-II

#### Laser Leveler

Laser Type: Green LD  
Laser Line: 3D 12 Lines  
Laser Wavelength: 520nm  
Laser Class: 2  
Laser Accuracy: +/-3mm/10m  
Outdoor Pulse Mode  
Remote Control  
Self-Leveling Range: +/- 3°  
Self-Leveling Time: < 3s  
Working Hours: > 6h



**R3379.<sup>10</sup>** EX VAT  
**R3885.97 INCL VAT**

## Thermometers

### UT320D

#### Mini Dual Contact Thermometer

Measurement Range: -50 ~ 1300°C  
Dual Display Mode T1 & T2  
Difference Measurement T1 - T2  
MAX/MIN/AVG  
Backlight  
Data Hold  
APO  
Low Battery Indication



**R529.<sup>14</sup>** EX VAT  
**R608.15 INCL VAT**

### A61

#### Digital Thermometer

Measurement: -40°C ~ 250°C  
Minimum Measuring Depth: 12mm  
NTC Sensor  
Stabilization Time: 20s  
Power: 3V button Cell  
Battery Duration: 12h  
IP65  
LED Alarm



**R314.<sup>69</sup>** EX VAT  
**R361.89 INCL VAT**

### UT303D+

#### Infrared Thermometer

Dual Laser  
Temperature: -32°C ~ 1300°C  
Accuracy: +/- 1.5°C  
D:S Ratio: 30:1  
Emissivity: 0.1 ~ 1.0 Adjustable  
High/Low Temperature Alarm  
Audible Alarm  
LED Alarm  
MAX/MIN Measurement  
Data Storage 99  
Scheduled Measurement



**R2734.<sup>51</sup>** EX VAT  
**R3144.69 INCL VAT**

### UT320T

#### Mini Dual Contact Thermometer

- Measurement Range: -40° ~ 300°C
- Distance To Spot: 8:1
- Emissivity: Adjustable
- Spectral Range: 5µm ~ 14µm
- Class 2 Laser
- Probe Measurement: -40°C ~ 300°C
- Probe Type: NTC
- Minimum Measuring depth: 12.7mm
- Data Hold
- Lock Measurement
- MAX/MIN/DIFF



**R871.<sup>92</sup>** EX VAT  
**R1002.71 INCL VAT**

### UT306S

#### Infrared Thermometer

Single Laser  
Temperature: -50°C ~ 500°C  
Accuracy: +/- 2°C  
D:S Ratio: 12:1  
TN Display  
Emissivity: 0.1 ~ 1.0 Adjustable  
°C/°F Selection  
High/Low Temperature Alarm  
Laser On/Off  
APO  
Low Battery Indication



**R357.<sup>29</sup>** EX VAT  
**R410.88 INCL VAT**

## Other

### UTP3315TFL-II

#### Power Supply

Output Voltage: 0-30V  
Output Current: 0-5A  
Output Power: 150W  
Ripple Noise: ≤ 0.8mVrms  
Reliability: MTBF(e): ≥2000hrs  
Display Mode: LED Voltage and Current Dual Display



**R2526.<sup>53</sup>** EX VAT  
**R2905.51 INCL VAT**

### UT682D

#### Tone and Probe Wire Tracker

Wire Types: Telephone Lines/Twisted Pair/  
Electric Wire  
Telephone Wire Test Distance  
≥3000m  
Polarity Indication for  
Phone Lines  
Transmitter Output Voltage:  
8V DC  
Transmitter Power Supply:  
9V Battery



**R548.<sup>09</sup>** EX VAT  
**R630.30 INCL VAT**

### UT373

#### Mini Non-Contact Tachometer

RPM Range:  
10RPM ~ 9999RPM  
Auto Range  
APO  
Low Battery Indication  
Laser-on Indication  
Data Hold  
MAX/MIN  
Rotating Speed/Count  
Function Switching  
Overload Indication



**R574.<sup>45</sup>** EX VAT  
**R660.62 INCL VAT**

### UTD2052CL+

#### Dual-Channel Digital Storage Oscilloscope

Channels: 2 (Dual) | Sample rate: 500MS/s  
Memory Depth: 64kpts | PowerL 100 - 240VAC, 50/60Hz  
Time-Based Range: 5ns/div - 50s/div  
Trigger Modes: Edge, Pulse, Alternate  
Display 7 Inch TFT LCD  
WBGA (400 x 240)  
Bandwidth: 50MHz  
Rise Time: <7s  
Waveform Capture Rate:  
5000wfms/s  
Vertical Scale: 1mV/div - 20V/div



**R7489.<sup>75</sup>** EX VAT  
**R8613.21 INCL VAT**

# OUR BIGGEST QUANTITY SPECIALS

## Stainless Steel Ball Ties 304SS

UNCOATED  
STAINLESS STEEL  
BALL  
LOCK



Price per 100

**TDBT6S**

**TDBT8S**

150 x 4,6mm  
**R142.16** EX VAT  
**R163.48 INCL VAT**

200 x 4,6mm  
**R156.88** EX VAT  
**R180.42 INCL VAT**

**TDBT14S**

**TDBT18S**

350 x 4,6mm  
**R202.73** EX VAT  
**R233.14 INCL VAT**

520 x 4,6mm  
**R246.91** EX VAT  
**R283.95 INCL VAT**

**TDBT8H**

**TDBT9H**

200 x 8mm  
**R232.68** EX VAT  
**R267.58 INCL VAT**

250 x 8mm  
**R253.84** EX VAT  
**R291.92 INCL VAT**

**TDBT14H**

**TDBT18L**

400 x 8mm  
**R319.58** EX VAT  
**R367.52 INCL VAT**

520 x 8mm  
**R533.19** EX VAT  
**R613.17 INCL VAT**

## Spraque



MAXFLEX

Price per meter  
Sold in rolls of 50m

**MFPP2520-BK/U**

**MFPP2520-BK/S**

25x20mm | Black | Unsplit  
**R5.80** EX VAT  
**R667.81 INCL VAT**

25x20mm | Black | Split  
**R5.80** EX VAT  
**R667.81 INCL VAT**

**MFPP2015-BK/U**

**MFPP2015-BK/S**

20x15mm | Black | Unsplit  
**R4.93** EX VAT  
**R567.53 INCL VAT**

20x15mm | Black | Split  
**R4.93** EX VAT  
**R567.53 INCL VAT**

**MFPVC20-W**

**MFPVC25-W**

PVC White | 20mm  
**R5.70** EX VAT  
**R655.50 INCL VAT**

PVC White | 25mm  
**R8.21** EX VAT  
**R944.64 INCL VAT**

## Patrax Glands - Brass Nickle Plated

Dual Cone Rotary Nickel plated brass cable glands

Armoured cable (BW)



**PX0BW**

Size 0  
**R27.59** EX VAT  
**R31.73 INCL VAT**

**PX1BW**

Size 1  
**R46.22** EX VAT  
**R53.16 INCL VAT**

**PX2BW**

Size 2  
**R73.78** EX VAT  
**R84.84 INCL VAT**

**PX3BW**

Size 3  
**R120.31** EX VAT  
**R138.35 INCL VAT**

**PX4BW**

Size 4  
**R194.80** EX VAT  
**R224.02 INCL VAT**

**PX5BW**

Size 5  
**R320.80** EX VAT  
**R368.92 INCL VAT**

**PX6BW**

Size 6  
**R661.12** EX VAT  
**R760.29 INCL VAT**

**PX7BW**

Size 7  
**R956.43** EX VAT  
**R1099.89 INCL VAT**

Un-Armoured cable compression type (A2)



**PX00A2-16**

00-16mm  
**R18.86** EX VAT  
**R21.69 INCL VAT**

**PX00A2**

00-20mm  
**R33.98** EX VAT  
**R39.08 INCL VAT**

**PX0A2**

Size 0  
**R30.10** EX VAT  
**R34.62 INCL VAT**

**PX1A2**

Size 1  
**R33.55** EX VAT  
**R38.58 INCL VAT**

**PX2A2**

Size 2  
**R58.53** EX VAT  
**R67.31 INCL VAT**

**PX3A2**

Size 3  
**R110.84** EX VAT  
**R127.46 INCL VAT**

**PX4A2**

Size 4  
**R175.84** EX VAT  
**R202.21 INCL VAT**

**PX5A2**

Size 5  
**R274.84** EX VAT  
**R316.06 INCL VAT**

## Heatshrink 2:1



**HSCB0024-\***

**R159.51** EX VAT  
**R183.44 INCL VAT**  
Price per 200m

**HSCB0032-\***

**R214.29** EX VAT  
**R246.43 INCL VAT**  
Price per 200m

**HSCB0048-\***

**R303.57** EX VAT  
**R349.11 INCL VAT**  
Price per 100m

**HSCB0064-\***

**R311.90** EX VAT  
**R358.69 INCL VAT**  
Price per 100m

**HSCB0095-\***

**R382.41** EX VAT  
**R439.78 INCL VAT**  
Price per 100m

**HSCB0127-\***

**R498.90** EX VAT  
**R573.74 INCL VAT**  
Price per 100m

**HSCB0190-\***

**R1351.64** EX VAT  
**R1554.39 INCL VAT**  
Price per 100m

**HSCB0254-\***

**R1481.31** EX VAT  
**R1703.51 INCL VAT**  
Price per 50m

\* Add colour to code:  
■ 0 (Black) | ■ 2 (Red)  
■ 4 (Yellow) | ■ 5 (Green)  
■ 6 (Blue) | □ 9 (White)

**HSCB00508-\***

**R3207.14** EX VAT  
**R3688.21 INCL VAT**  
Price per 25m

**HSCB0762-\***

**R6698.90** EX VAT  
**R7703.74 INCL VAT**  
Price per 20m

**HSCB1016-\***

**R13591.43** EX VAT  
**R15630.14 INCL VAT**  
Price per 25m

## Connector Strips



**M03A-BSQ**

3A | Black  
**R7.05** EX VAT  
**R8.11 INCL VAT**

**M03A-CSQ**

3A | Clear  
**R4.86** EX VAT  
**R5.59 INCL VAT**

**M05A-BSQ**

5A | Black  
**R7.18** EX VAT  
**R8.25 INCL VAT**

**M05A-CSQ**

5A | Clear  
**R7.29** EX VAT  
**R8.39 INCL VAT**

**M10A-BRD**

10 | Black  
**R10.97** EX VAT  
**R12.62 INCL VAT**

**M015A-BRD**

15A | Black  
**R15.08** EX VAT  
**R17.34 INCL VAT**

**M30A-CRD**

30A | Clear  
**R17.63** EX VAT  
**R20.27 INCL VAT**

**M60A-\*SQ**

60A  
**R40.67** EX VAT  
**R46.77 INCL VAT**

\* Add colour to code:  
■ B (Black) | □ C (Clear)

## SELFIT Nylon 6,6 Cable Ties



100 Pack

**5303S**  
100 x 2,5 | Black  
**R11.16** EX VAT  
**R12.84 INCL VAT**

**5309S**  
140 x 3,5 | Black  
**R24.23** EX VAT  
**R27.86 INCL VAT**

**5315S**  
200 x 4,5 | Black  
**R44.89** EX VAT  
**R51.62 INCL VAT**

**5317S**  
300 x 4,5 | Black  
**R72.56** EX VAT  
**R83.33 INCL VAT**

**5319S**  
360 x 4,5 | Black  
**R88.63** EX VAT  
**R101.93 INCL VAT**

**5326S**  
280 x 7,5 | Black  
**R118.97** EX VAT  
**R136.82 INCL VAT**

**5327S**  
360 x 7,5 | Black  
**R162.69** EX VAT  
**R187.09 INCL VAT**

**5329S**  
450 x 7,5 | Black  
**R237.19** EX VAT  
**R272.77 INCL VAT**

**5337S**   
500 x 12,5 | Black  
**R580.39** EX VAT  
**R667.45 INCL VAT**

## UV Protected Nylon Cable Ties



100 Pack

10Yr Life Span

UV Protection

**5303S-UV**  
100 x 2,5 | Black  
**R12.14** EX VAT  
**R13.96 INCL VAT**

**5309S-UV**  
140 x 3,5 | Black  
**R27.86** EX VAT  
**R32.96 INCL VAT**

**5315S-UV**  
200 x 4,5 | Black  
**R48.57** EX VAT  
**R55.86 INCL VAT**

**5317S-UV**  
300 x 4,5 | Black  
**R81.04** EX VAT  
**R93.20 INCL VAT**

**5319S-UV**  
360 x 4,5 | Black  
**R100.00** EX VAT  
**R115.00 INCL VAT**

**5326S-UV**  
280 x 7,5 | Black  
**R178.57** EX VAT  
**R205.36 INCL VAT**

**5327S-UV**  
360 x 7,5 | Black  
**R214.29** EX VAT  
**R246.43 INCL VAT**

**5337S-UV**   
500 x 12,5 | Black  
**R607.14** EX VAT  
**R698.21 INCL VAT**

DESIGNED FOR  
**SOLAR PANELS**



# STRAP DOWN TO STRAP IN & WIN a trip to ITALY

## HOW TO ENTER:



## WIN:

**STEP 1:**  
Buy Any SapiSelco Product

**STEP 2:**  
Take a photo of your invoice


**STEP 3:**  
Scan the QR code or go to [www.three-d.co.za](http://www.three-d.co.za)

**STEP 4:**  
Upload your details and picture of invoice to enter



A TRIP TO ITALY

A TRAILER



A CONTRACTORS KIT



A MONTHLY LUCKY DRAW

SCAN TO ENTER



T&C's Apply

## Nailin Anchors



100 Pack



**84198**  
M6X35 | Grey  
**R48.66** EX VAT  
**R55.95 INCL VAT**

**84201**  
M6X42 | Grey  
**R53.66** EX VAT  
**R61.71 INCL VAT**

**84526**  
M6X55 | Grey  
**R69.97** EX VAT  
**R80.48 INCL VAT**

**84650**  
M6X70 | Grey  
**R84.87** EX VAT  
**R97.61 INCL VAT**

**84527**  
M8X57 | Grey  
**R132.55** EX VAT  
**R152.44 INCL VAT**

**91140**  
M8X80 | Grey  
**R130.45** EX VAT  
**R150.02 INCL VAT**

# OUR BIGGEST QUALITY SPECIAL

## Pre-Insulated Crimpers

**AP-03C**

**Ratchet Crimping Tool**

Crimping Range:  
0.5 - 6mm<sup>2</sup>

**R476.00** EX VAT  
**R547.40 INCL VAT**



**AP-30J**

**Ratchet Crimping Tool**

Crimping Range:  
1 - 6mm<sup>2</sup>

**R442.00** EX VAT  
**R508.30 INCL VAT**



**YYT-1**

**Ratchet Crimping Tool**

Crimping Range:  
0.5 - 6mm<sup>2</sup>

**R779.00** EX VAT  
**R895.85 INCL VAT**



**L6011**

**Non-Ratchet Crimping Tool**

Crimping Range:  
0.5 - 6mm<sup>2</sup>

**R73.00** EX VAT  
**R83.95 INCL VAT**



**HS-03B**

**Ratchet Crimping Tool for Brass Roll-In Terminal (Open Barrel Terminals)**

Crimping Range:  
0.5 - 6mm<sup>2</sup>

**R375.00** EX VAT  
**R431.25 INCL VAT**



## Turned Terminal Crimper

**TC14402**

**Ratchet 4-Way Crimping Tool for Turned Terminals (Deutsch Terminals)**

Crimping Range:  
0.5 - 1.5mm<sup>2</sup>

**R823.00** EX VAT  
**R946.45 INCL VAT**



## End-Sleeve Crimpers

**HSC8 6-4**

**Square Ratchet Crimping Tool for Bootlace Ferrules**

Crimping Range:  
0.25 - 6mm<sup>2</sup>

**R437.00** EX VAT  
**R502.55 INCL VAT**



**HSC8 6-6**

**Hexagonal Ratchet Crimping Tool for Bootlace Ferrules**

Crimping Range:  
0.25 - 6mm<sup>2</sup>

**R650.00** EX VAT  
**R747.50 INCL VAT**



**HSC8 16-4**

**Square Ratchet Crimping Tool for Bootlace Ferrules**

Crimping Range:  
4 - 6mm<sup>2</sup>

**R693.00** EX VAT  
**R796.95 INCL VAT**



**YAC-9**

**Hexagonal Ratchet Crimping Tool for Bootlace Ferrules**

Crimping Range:  
0.08 - 6mm<sup>2</sup>

**R1242.00** EX VAT  
**R1428.30 INCL VAT**



## Copper Crimpers

**HEXB-16**

**Ratchet Indent Crimping Tool For Copper Lugs & Ferrules**

Crimping Range:  
1.5 - 16mm<sup>2</sup>

**R545.00** EX VAT  
**R626.75 INCL VAT**



**HS-38**

**Ratchet Indent Crimping Tool For Copper Lugs & Ferrules**

Crimping Range:  
1.5 - 16mm<sup>2</sup>

**R649.00** EX VAT  
**R746.35 INCL VAT**



**HX-16**

**Hexagonal Ratchet Crimping Tool For Copper Lugs & Ferrules**

Crimping Range:  
6 - 16mm<sup>2</sup>

**R718.85** EX VAT  
**R826.68 INCL VAT**



**HS-22**

**Ratchet Indent Crimping Tool For Copper Lugs & Ferrules**

Crimping Range:  
5.5 - 25mm<sup>2</sup>

**R699.00** EX VAT  
**R803.85 INCL VAT**



## Hydraulic Crimping Tool

**HP-240**

16 - 240mm<sup>2</sup>  
12 Tons  
16, 25, 35, 50, 70,  
95, 120, 150,  
185, 240

Complete with Case

**R1144.00** EX VAT  
**R1316.60 INCL VAT**

**HP-300**

16 - 300mm<sup>2</sup>  
12 Tons  
16, 25, 35, 50, 70, 95,  
120, 150, 185, 240,  
300

Complete with Case

**R1226.00** EX VAT  
**R1409.90 INCL VAT**

**HP-400**

16 - 400mm<sup>2</sup>  
12 Tons  
16, 25, 35, 50,  
70, 95, 120, 150,  
185, 240, 300, 400

Complete with Case

**R1480.00** EX VAT  
**R1702.00 INCL VAT**



## Crimping Tool

**HT-200R**

For RJ10, RJ11 & 12, RJ45

**Crimping Tool for Modular Connectors**

**R293.87** EX VAT  
**R337.95 INCL VAT**



## Crimping / Cutting Tools

**CRMP**

**Crimping / Cutting Tool**  
Size: 240mm

**R190.00** EX VAT  
**R218.50 INCL VAT**



**A-2546B**

**MC4 Crimping Tool**  
Size: 270mm

**R609.00** EX VAT  
**R700.35 INCL VAT**



## Cutters - Not Suitable for cutting steel wire, armoured cable and steel rope

**Cable and Wire Cutter for CU/AL**

**LK-22A**

Cutting Range:  
Up to 25mm<sup>2</sup>

**LK-38A**

Cutting Range:  
Up to 35mm<sup>2</sup>


**LK-60A**

Cutting Range:  
Up to 60mm<sup>2</sup>

**R138.13** EX VAT  
**R158.85 INCL VAT**

**R166.00** EX VAT  
**R190.90 INCL VAT**

**R180.00** EX VAT  
**R207.00 INCL VAT**



**Cable and Wire Cutter for CU/AL**

**HS-95A**

Cutting Range:  
Up to 70mm<sup>2</sup>

**R271.00** EX VAT  
**R311.65 INCL VAT**

**Ratchet Cable Core Cutter for CU/AL**

**HS-325A**

Cutting Range:  
Up to 240mm<sup>2</sup>

**R999.00** EX VAT  
**R1148.85 INCL VAT**



## Heavy-Duty Cable / Rope Cutters

- Not Suitable for cutting steel wire, armoured cable and steel rope

Heavy duty cable cutter with long handles




**LK-250**

Cutting Range:  
Up to 250mm<sup>2</sup>

**R489.79**  
EX VAT  
**R563.26 INCL VAT**

Heavy duty wire rope cutters with long handles



**L71060SC**

Cutting Range:  
7mm Ø steel rope  
5mm steel rod  
Up to 60mm<sup>2</sup>  
copper cable

**R608.16**  
EX VAT  
**R699.38 INCL VAT**

Energy saving heavy duty wire rope and cable cutter with long handles



**L71400SC**

Cutting Range:  
16mm Ø steel rope or  
up to 200mm<sup>2</sup> copper cable

**R2276.78**  
EX VAT  
**R2618.30 INCL VAT**

Suitable for cutting steel wire,  
armoured cable and steel rope

**LK-500**

Cutting Range:  
Up to 500mm<sup>2</sup>

**R1224.48**  
EX VAT  
**R1408.16 INCL VAT**

**L71200SC**

Cutting Range:  
14mm Ø steel rope  
9mm steel rod  
Up to 200mm<sup>2</sup>  
copper cable

**R2267.34**  
EX VAT  
**R2607.44 INCL VAT**

## Other Tools

**MAP-8A**

Inline Hydraulic Hole Punch

Max Thickness:  
Mild Steel: 3.2mm<sup>2</sup>  
Stainless Steel: 1.6mm<sup>2</sup>  
Punching Force:  
1 Ton

Dies Included:  
16.2mm, 18.6mm,  
20.5mm, 22.5mm,  
25.4mm, 28.3mm,  
37mm, 47mm

**R4810.00**  
EX VAT  
**R5531.50 INCL VAT**



**RG1000**

Stainless Steel Strapping Tool With Built-In Cutter

Strapping Size:  
9mm - 19mm

**R1750.00**  
EX VAT  
**R2012.50 INCL VAT**



**D92134B**

Stainless Steel Cable Tie Gun

Cable Tie widths:  
Up to 7.9mm

**R2159.00**  
EX VAT  
**R2482.85 INCL VAT**



## Screwdrivers

"Tyre-Grip" handle  
1000V screwdriver set

6 PCS

"Tyre-Grip" handle  
1000V screwdriver set

7 PCS

35 Piece Multi-Bit  
Stubby Screwdriver set

35 PCS

**SDE6**

Insulated



Slotted: 3 x 75mm  
Phillips: PH2 x 100mm

**R195.00**  
EX VAT  
**R224.25 INCL VAT**

**SDE7**

Insulated



Slotted: 3 x 75mm, 4 x 100mm  
Phillips: 5.5 x 125mm  
PH2 x 100mm, PH0 x 60mm  
PH1 x 5mm, PH2 x 100mm

Neon Tester

**R222.00**  
EX VAT  
**R255.30 INCL VAT**

**SDSBS35**



- T4, T5, T6, T7, T8, T9, T10, T15, T20, T25, T30  
- PH0, PH1, PH2, PH3  
- 3.0, 4.0, 5.0, 6.0, 1.2, 3, S1, S2, 2, 4, 6, 2.0, 2.5,  
3.0, 4.0, 5.0, 6.0

**R127.00**  
EX VAT  
**R146.05 INCL VAT**

## Side Cutters

Insulated Side Cutters

160mm

**TSC160E**

**R116.00**  
EX VAT  
**R133.40 INCL VAT**



200mm

**TSC200E**

**R136.00**  
EX VAT  
**R156.40 INCL VAT**

Un-insulated Side Cutters

160mm

**TSC160**

**R65.00**  
EX VAT  
**R74.75 INCL VAT**



200mm

**TSC200**

**R86.00**  
EX VAT  
**R98.90 INCL VAT**

## Panel Key

Panel Key

**QUKEY**

**R38.11**  
EX VAT  
**R43.83 INCL VAT**



## Pliers

Insulated Pliers with Crimper

230mm

**TCP230EC**

Crimping Range:  
0.5 - 6mm<sup>2</sup>

**R195.00**  
EX VAT  
**R224.25 INCL VAT**




Insulated Combination Pliers

160mm

**TCB160E**

**R116.00**  
EX VAT  
**R133.40 INCL VAT**



200mm

**TCB200E**

**R136.00**  
EX VAT  
**R156.40 INCL VAT**

Insulated Long Nose Pliers

160mm

**TLN160E**

**R116.00**  
EX VAT  
**R133.40 INCL VAT**



200mm

**TLN200E**

**R136.00**  
EX VAT  
**R156.40 INCL VAT**

Un-insulated Combination Pliers

160mm

**TCB160**

**R65.00**  
EX VAT  
**R74.75 INCL VAT**



200mm

**TCB200**


**R86.00**  
EX VAT  
**R98.90 INCL VAT**

Un-Insulated Long Nose Pliers

160mm

**TLN160**

**R65.00**  
EX VAT  
**R74.75 INCL VAT**



200mm

**TLN200**

**R86.00**  
EX VAT  
**R98.90 INCL VAT**

## Wire Strippers

Auto-adjustable duck-mouth  
wire stripper and cutter

**HS-700D**

Stripping mm<sup>2</sup>:  
0.25 - 6mm<sup>2</sup>

**R151.00**  
EX VAT  
**R173.65 INCL VAT**



# OUR BIGGEST QUARTERLY SPECIAL

## Toolkits & Bag

### MAXPRO

16 PCS

Toolkit  
38 x 24cm



**R1474.85** EX VAT  
**R1696.08** INCL VAT

### MAXBP

Toolkit  
46 x 16 x 37cm



**R1218.00** EX VAT  
**R1400.70** INCL VAT

## Gas Soldering Irons & Kits

### TDSOL640

Soldering Iron  
22ml | Butane

**R548.70** EX VAT  
**R631.01** INCL VAT



### TDSOL665

Soldering Iron  
7.5ml | Butane

**R739.97** EX VAT  
**R850.97** INCL VAT



### TDSOL645KB

Soldering Iron Kit  
Soldering | Torch | Heatgun

**R721.14** EX VAT  
**R829.31** INCL VAT



FREE BUTANE CANISTER

### TDSOL665KB

Soldering Iron Kit  
Soldering | Torch | Heatgun

**R990.80** EX VAT  
**R1139.42** INCL VAT



FREE BUTANE CANISTER

## Worx Combo



### WX955

Cordless Drill, Jigsaw & Grinder Kit  
Including 2 x 2Ah Batteries & Charger

**R3499.00** EX VAT  
**R4023.85** INCL VAT



## Kits

### TDAPIKL

Pre-Insulated Automotive Terminal Kit

750 PCS



**R660.00** EX VAT  
**R759.00** INCL VAT

### IES KIT

Pre-Insulated Terminal Kit

1000 PCS



**R272.00** EX VAT  
**R312.80** INCL VAT

### TDEPIKS

Pre-Insulated Terminal Kit

150 PCS



**R135.00** EX VAT  
**R155.25** INCL VAT

### HSK170

Heatshrink Tubing Kit - Colour

170 PCS



**R99.00** EX VAT  
**R113.85** INCL VAT

### HSK230

Heatshrink Tubing Kit - Black

230 PCS



**R90.00** EX VAT  
**R103.50** INCL VAT

## CAT Power Tools



### DX1110

Screwdriver with Accessories

4V  
5 - 2.5mm  
USBC  
Charging



**R580.36** EX VAT  
**R667.41** INCL VAT

### DXK203

Angle Grinder, Impact Drill Combo

Brushless 115mm Angle  
Grinder Impact Drill  
1 x 2Ah, 1 x 4Ah Batteries  
and Charger



**R2952.38** EX VAT  
**R3395.24** INCL VAT

### DA10904

Cutting Disk Container  
115mm Diameter  
1mm Thick  
22.23 Hole Size



**R515.00** EX VAT  
**R592.25** INCL VAT

50 PCS

### DA01901

Hex Screwdriver Bit Set

32 PCS



Hex Shank, S2 Modified Steel  
Heat-Treated for durability & toughness  
Color coded for easy identification  
Supplied in SlideLock robust plastic Injection Case

**R231.17** EX VAT  
**R265.84** INCL VAT

### DA01902

Screwdriver Bit Set

45 PCS



Bit Lengths: 25mm, 50mm, 89mm, 45mm, 60mm, 65mm  
Shank Type: 1/4" (6.35mm) Hex  
Bit Types: Phillips (PH), Pozidriv (PZ), Slotted (SL), Hex, Torx (TX), Tamper-proof Torx (TH)  
Color Coded  
Case Type: SlideLock robust plastic injection case  
Total Pieces: 45-piece set

**R522.69** EX VAT  
**R601.09** INCL VAT

### DA01903

Mixed Set

201 PCS



Includes:  
21 Metal twist Drill bits,  
6 Brad Point Drill Bits, 6 Masonry Drill Bits  
4 Spade Bits: (12/16/18/20mm)  
15 Wall Anchors, 13 Wood Screw  
70 25mm Insert Bits: PH, SL, SQ, TORX, HEX  
40 50mm Power Bits: PH, SL, SQ, TORX, HEX  
2 Drill Stoppers 6/8mm, 10 Nutdrivers  
1 Screw Finder, 10 Allen Keys  
1 Magnetic Bit Holder  
1 Countersink Bit  
1 Quick Connect Holder

**R1631.93** EX VAT  
**R1876.72** INCL VAT

## Cordless Drills & Drivers



### DTW190ZK

#### Impact Wrench

12.7mm  
2300r/min  
18VDC Li-Ion Battery  
(Not included)  
165Nm



**R1965.22** EX VAT  
**R2260.00 INCL VAT**

### DHP453ZK

#### Impact Driver Drill

13mm  
1300r/min  
18VDC Li-Ion Battery  
(Not included)  
2 Speed  
Keyless Chuck



**R1729.57** EX VAT  
**R1989.00 INCL VAT**

### DTD152Z

#### Impact Driver

6.35mm  
2900r/min  
18VDC Li-Ion Battery  
(Not included)  
165Nm



**R2025.22** EX VAT  
**R2329.00 INCL VAT**

## Cordless Cleaning Tools

### DHW180Z

#### Pressure Washer

24 Bar  
1.5 - 2.5l / min  
18VDC Li-Ion Battery  
(Not Included)



**R2929.57** EX VAT  
**R3369.00 INCL VAT**

### DCL180Z

#### Cleaner

650l Capacity  
4.2kpa Suction  
18VDC Li-Ion Battery  
(Not Included)



**R1447.83** EX VAT  
**R1665.00 INCL VAT**

## Cordless Tools

### DUB185Z

#### Blower

18000 r/min  
18VDC Li-Ion Battery  
(Not Included)



**R1051.30** EX VAT  
**R1209.00 INCL VAT**

### DJR183Z

#### Recipro Saw

3000 strokes/min  
18VDC Li-Ion Battery  
(Not Included)



**R1947.83** EX VAT  
**R2240.00 INCL VAT**

## Corded Tools

### HM0870C

#### Demolition Hammer

220V/230V  
7.6 Joule  
1100W  
1100 - 2650 blows / min



**R7677.39** EX VAT  
**R8829.00 INCL VAT**

### GA9020

#### Angle Grinder

220V/230V  
230mm  
2200W



**R2673.91** EX VAT  
**R3075.00 INCL VAT**

## Batteries & Charger

### BL1815N

Litium Ion Battery  
1.5Ah | 18VDC



**R1400.87** EX VAT  
**R1611.00 INCL VAT**

### BL1830B

Litium Ion Battery  
3.0Ah | 18VDC



**R1529.57** EX VAT  
**R1759.00 INCL VAT**

### BL1850B

Litium Ion Battery

5.0Ah | 18VDC



**R2156.52** EX VAT  
**R2480.00 INCL VAT**

### BL1860B

Litium Ion Battery

6.0Ah | 18VDC



**R2338.26** EX VAT  
**R2689.00 INCL VAT**

### DC18RD

Two Port Multi Fast Charger

22min. - 3.0Ah  
Optimum Charging System Built in CPU I  
Active current, thermal and voltage control



**R3195.65** EX VAT  
**R3675.00 INCL VAT**

### DC18RC

Compact Fast Charger

22min. - 3.0Ah  
Optimum Charging System Built in CPU I  
Active current, thermal and voltage control



**R1077.39** EX VAT  
**R1239.00 INCL VAT**

**FOLLOW US ON  
SOCIAL MEDIA**



**FACEBOOK**



**LINKEDIN**



# STRAP DOWN TO STRAP IN & WIN a trip to **ITALY**

## HOW TO ENTER:



## WIN:

**STEP 1:**  
Buy Any SapiSelco Product

**STEP 2:**  
Take a photo of your invoice

**STEP 3:**  
Scan the QR code or go to [www.three-d.co.za](http://www.three-d.co.za)

**STEP 4:**  
Upload your details and picture of invoice to enter



**A TRIP TO ITALY**



**A TRAILER**



**A CONTRACTORS KIT**



**A MONTHLY LUCKY DRAW**

## SCAN TO ENTER



T&C's Apply

**JOHANNESBURG**

Tel: +27 11 392 3804

**DURBAN**

Tel: +27 31 263 7800

**CAPE TOWN**

Tel: +27 21 552 5242

[sales@three-d.co.za](mailto:sales@three-d.co.za) | [www.three-d.co.za](http://www.three-d.co.za) | Valid 1 April - 30 June 2026 or while stocks last. E & OE

