

FASCETTE RIAPRIBILI CLICK TIE - LDPE

- EN RE-OPENABLE CLICK TIES - LDPE
- FR COLLIERS REOUVRABLES CLICK TIE - LDPE
- ES BRIDAS RECUPERABLES CLICK TIE - LDPE
- DE LÖSBARE KABELBINDER CLICK TIE - LDPE
- PT ABRAÇADEIRAS REUTILIZÁVEIS CLICK TIE - LDPE










FASCETTE RIAPRIBILI CLICK TIE - LDPE

- IT** La fascetta Click Tie è una fascetta economica, riapribile e riutilizzabile, adatta a sostenere carichi leggeri
- EN** **RE-OPENABLE CLICK TIES - LDPE** - Click ties are low-cost, reopenable and reusable, suitable for lightweight loads
- FR** **COLLIERS REOUVRABLES CLICK TIE - LDPE** - Le collier Click tie est un collier économique, réouvrable et réutilisable, permettant de soutenir des charges légères
- ES** **BRIDAS RECUPERABLES CLICK TIE - LDPE** - La brida click tie es una brida económica y reutilizable apta para sostener cargas ligeras
- DE** **LÖSBARE KABELBINDER CLICK TIE - LDPE** - Click tie ist ein wirtschaftlicher Kabelbinder für leichte Lasten, der wieder lösbar und wieder verwendbar ist
- PT** **ABRAÇADEIRAS REUTILIZÁVEIS CLICK TIE - LDPE** - A abraçadeira click tie é económica, reutilizável e apropriada para sustentar cargas ligeiras




- *Per altre colorazioni, contattare il nostro ufficio commerciale*
- *For other colours please contact our sales office*
- *Pour autres couleurs contacter notre bureau commercial*
- *Para demás colores, contacte con nuestro departamento comercial*
- *Für andere Farben bitte setzen Sie sich mit unseren Kundendienst in Verbindung*
- *Para outras cores, contactar o nosso gabinete comercial*

						
120x3,5	5.000	100	■*	3 ÷ 26	80	CLT.10.2110R
240x3,8	4.000	100	■*	4 ÷ 61	160	CLT.10.2116R
320x4,4	2.500	100	■*	5 ÷ 83	210	CLT.10.2129R
500x5,6	1.000	100	■*	40 ÷ 140	320	CLT.10.2149R
650x5,6	1.000	100	■*	80 ÷ 180	320	CLT.10.2157

* ROSSO RAL 3000 / RED RAL 3000 / ROUGE RAL 3000 / ROJO RAL 3000 / ROT RAL 3000 / VERMELHO RAL 3000



**Caratteristiche dimensionali / Dimensional specifications /
Caractéristiques dimensionnelles / Características dimensionales /
Abmessungseigenschaften / Características dimensionais**



Misura Measurement Mesure Medida Maß Medidas	U.M.	Tolleranze Tolerances Tolerancias Abweichungen Tolerâncias	Dati / Data / Valeurs / Datos / Daten / Dados				
			120x3,5	240x3,8	320x4,4	500x5,6	650x5,6
A	mm	± 5%	118	238	318	496	643
B	mm	± 0,3%	3,4	4,0	4,4	5,5	5,5
C	mm		6,5	8,5	8,5	12,5	12,4
D	mm	± 0,2%	2,3	3,0	3,2	3,9	3,9
E	mm		3,3	4,4	4,4	4,5	4,5
F	mm		2,0	2,9	3,0	3,0	3,3
G	mm		1,3	1,9	1,9	2,1	2,1

**Caratteristiche tecniche / Technical Characteristics / Caractéristiques techniques /
Características técnicas / Technische Merkmale / Características técnicas**

	Metodo / Method / Methode / Método / Methode / Método SAPISELCO	U.M.	3,5	3,8	4,4	5,6
	MAF / 06	daN	70 ÷ 100	135 ÷ 200	155 ÷ 250	275 ÷ 350
	MAF / 02-b	°C	-40, -30			
	-	°C	85			
	MAF / 05 (UL 94)	-	HB			

1 daN=1 kg